

PRODUCT SPECIFICATION GUIDE 2022



215-322-6210

While this guide covers the majority of our products offerings, it does not list every product that we have accessible. Please do not hesitate to reach out to the correct party for more product offerings.



DELTA PRODUCTS

2022

Table of Contents

- Page 7 - Incandescent Lamps (S6, S11, S14, C7, A15, A19, A21, T6.5, T10)
- Page 8 - Incandescent Lamps (A19, A21, T10, R20, BR30, BR38)
- Page 9 - Incandescent Lamps (A19, A21, A23, BR38, BR40, PS25)
- Page 10 - Incandescent Lamps (A15, A19, A21, R40, BR40, PS25, PS35,
ER30, ER40, B10.5, tuffskin, torpedo)
- Page 11 - Incandescent Lamps (BA9, F10, F15, G16.5, G25, G40)
- Page 12 - High Intensity Discharge Lamps
- Page 13 - Halogen Lamps (T4, T3, PAR20, PAR30, PAR38)
- Compact Fluorescent Lamps (Spiral)
- Page 14 - Fluorescent Lamps (Linear T5, T8, T12)
- Page 15 - Fluorescent Lamps (Linear T6, T12, HO, VHO)
- Page 16 - Fluorescent Lamps (Electronic Linear Ultra T8)
- Page 17 - Compact Fluorescent Lamps (Single, Double – 2 & 4 Pin)
- Page 18 - Fluorescent Lamps (T8, T9, T10, T12, Linear, Circline, U-Bent)
- Tube Guards
- Page 19 - Ballasts & Fixtures
- Page 20 - Liquid Chemical Container Guide
- Page 21 - All Purpose Cleaner, Butyl Degreaser, Soap Film Remover,
- Glass Cleaner, Furniture Polish, Dish Detergent
- Page 22 - Hand Soap, Bathroom Cleaner, Drain Opener
- Page 23 - Stain Remover, Wax Stripper, Floor Seal, Disinfectant,
- Odor Suppressant
- Page 24 - Floor Wax, Acid Replacement Cleaner, Citrus Degreaser,
- Liquid Enzyme
- Page 25 - Vehicle Wash, RTU Degreaser, Winterwash, Steam Cleaner,
- Concrete Cleaner, Cutting & Tapping Fluid

DELTA PRODUCTS

2022

Table of Contents

- Page 26 - Pressure Washer, Carpet Cleaner, Orange Power,
Tile & Grout Cleaner, Delimer, External Coil Cleaner
- Page 27 - Internal Coil Cleaner, Oven Cleaner, Hand Soap,
Herbicide, Dust Mop Treatment,
Cream Scouring Compound
- Page 28 - Spray Nine, Aluminum Cleaners,
- Neutral Disinfectant Cleaner, Vehicle Wash
- Page 29 - Neutral Cleaner, Floor Finish, Dishwashing Detergent,
- Germicidal Cleaner
- Page 30 - Aircraft Cleaner, Insecticide, Bathroom Cleaner,
- Odor Suppressant
- Page 31 - Freezer Cleaner, Whitewall Cleaner, Spray Buff,
- Non-Acid Coil Cleaner, Food Process Cleaner
- Page 32 - Spot Remover, Defoamer, Disinfectant/Sanitizer
- Dura-View Hand Soaps – Pink Lotion, Orange Scrub,
- Anti-Bacterial
- Page 33 - Dura-View Dispenser, Jelled Air Fresheners,
- Odor Eliminator, Plexiglas Cleaner, Bowl Cleaner
- Page 34 - Stay Clean, Scrub Bugs, Zap-It Weed Killer
- Page 35 - Multi-Task Cleaner, Vehicle Wash, Insecticide
- Page 36 - Oven Cleaner, Surface Sanitizing Spray,
- Herbicides, Hydrogen Peroxide Cleaner
- Page 37 - Carpet Cleaner, Spotting Kit, Laundry Detergent,
- Antibacterial Hand Soap, Hand Sanitizer, Metal Polish
- Page 38 - Scent-Sational Gel, Laundry Additive, ARC-HD, Fire
Ant Dehydrator
- Page 39- Liquid Ice Melt, Orange Scrub Gallons, Smokehouse
cleaner
- Page 40- No Pain Drain Opener, Freshwave, Banish, Green Ox

DELTA PRODUCTS

2022

Table of Contents

Page 41- Step up, Car Wash, Tile and Grout Cleaner Quarts,
Drain Cane

Page 42- Grandioso, Citrafresh, Mintyfresh, Spray N Go, 420
Fresh

Page 43- Glass Cleaner, APC, Safety Solvent,
-Penetrating Lubricant, Silicone Lubricant

Page 44 - Oven & Grill Cleaner, Stainless Steel Cleaner,
- Penetrant Lube, Rubberized Coating,
- Brake & Parts Cleaner, Winterizing Wax

Page 45 - Moisture Guard, Choke & Carb. Cleaner, Herbicide,
- Herbicide, Anti-Seize Compound, CRT Cleaner

Page 46 - Anti-Static Spray, Protects–All, Furniture Polish,
- D-Solv HD, WD-40

Page 47 - Chalk & Whiteboard Cleaner, Utility Cleaner,
- Spot Remover, Vandalism Remover, Spray Adhesive

Page 48 - Foamy Lube, Belt Dressing, Engine Degreaser,
- Battery Cleaner & Protector, White Lithium Grease

Page 49 - Slip Shot, Coil Cleaner, Dry Release Lube

Page 50 - Dry Moly Lube, Anti-Seize Lube,
- Cutting & Tapping Fluid, Dust Mop Treatment

Page 51 - Hand Held Air Fresheners

Page 52 - Hand Held Air Fresheners

Page 53 - Hand Held Air Fresheners, Citrus APC,

Page 54 - Solvent Cleaner, Metered Aerosol Dispenser,
- Metered Air Fresheners

Page 55 - Bathroom Cleaner, Open Gear Lube, Foaming Herbicide,
- Food Grade Stainless Steel Cleaner & Polish,
- Food Grade Equipment Lube

Page 56 - Disinfectants, Insecticides

DELTA PRODUCTS

2022

Table of Contents

- Page 57 - Insecticide, Carpet Stain Remover,
- Chain & Cable Lubricant, Tire Shine
- Page 58 - Air Duster, Carpet Refresher, Odor Counteractant,
Windshield De-Ice
- Page 59 - Brake & Parts Cleaner EF, Dry Silicone Spray,
- Contact Cleaner, Marble & Granite Cleaner
- Page 60 - Trash Liners, Paper Products, Janitorial Supplies,
- Oil & Chemical Absorbents, Packaging Supplies
- Hand Soaps
- Page 61 - Janitorial Supplies, Hand Soaps, Ice Melt, Ear Plugs
- Page 62 - Tube Grease
- Page 63 - Tube Grease, Wipes
- Page 64 - Wipes
- Page 65 - Wipes, Grimesolver Stain & Mark Eraser
- Page 66 - Wipes
- Page 67 – Lens Wipes, Bead Bags, Spec 4 Wipes,
Dumpster Care
- Page 68- Lint Roller and Refills

DELTA PRODUCTS

2022

Table of Contents

DELTA PRODUCTS

INCANDESCENT LAMPS

LONG LIFE

24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|--------|-------|------|--------|----------------|--|--|-----------|---------------|---------|
| 6 | 130 | 100 | S6 | Cand. | Clear, Indicator |  | 1-7/8" | 240 | 40 |
| 7 | 130 | 101 | C7 | Cand. | Clear |  | 2-1/8" | 240 | 45 |
| | | 102 | | | White | | 2-1/8" | 240 | - |
| | | 103 | | | Red | | 2-1/8" | 240 | - |
| | | 104 | | | Blue | | 2-1/8" | 240 | - |
| | | 105 | | | Green | | 2-1/8" | 240 | - |
| | | 106 | | | Orange | | 2-1/8" | 240 | - |
| 7.5 | 130 | 107 | S11 | Med. | Clear | Night Light  | 2-1/4" | 25 | 42 |
| | | 108 | | | Orange | | 2-1/4" | 25 | - |
| | | 109 | | | Green | | 2-1/4" | 25 | - |
| | | 110 | | | Blue | | 2-1/4" | 25 | - |
| | | 111 | | | Red | | 2-1/4" | 25 | - |
| | | 112 | | | White | | 2-1/4" | 25 | 42 |
| 11 | 130 | 128 | S14 | Med. | Inside Frost | Sign  | 3-1/2" | 120 | 82 |
| | | 129 | | | Clear | | 3-1/2" | 120 | 82 |
| | | 130 | | | Blue | | 3-1/2" | 120 | - |
| | | 131 | | | Green | | 3-1/2" | 120 | - |
| | | 132 | | | Orange | | 3-1/2" | 120 | - |
| | | 133 | | | Red | | 3-1/2" | 120 | - |
| | | 134 | | | Yellow | | 3-1/2" | 120 | - |
| | | 135 | | | White | | 3-1/2" | 120 | - |
| 15 | 130 | 136 | A15 | Med. | Inside Frost |  | 3-1/2" | 120 | 125 |
| | | 137 | | | Clear | | 3-1/2" | 120 | 125 |
| 25 | 130 | 144 | A19 | Med. | Inside Frost |  | 4-1/2" | 120 | 170 |
| | | 145 | | | Clear | | 4-1/2" | 120 | 170 |
| | | 147 | | | Yellow | | 4-1/2" | 24 | - |
| | | 148 | | | Blue | | 4-1/2" | 24 | - |
| | | 149 | | | Green | | 4-1/2" | 24 | - |
| | | 150 | | | Orange | | 4-1/2" | 24 | - |
| | | 151 | | | Red | | 4-1/2" | 24 | - |
| | | 152 | A15 | I.F. Appliance | 3-1/2" | | 120 | 150 | |
| 20 | 130 | 153 | T6.5 | Inter. | Clear |  | 5-1/2" | 25 | 90 |
| | | 154 | | | Inside Frost | | 5-1/2" | 25 | 90 |
| | | 155 | DC Bay | Inside Frost |  | 5-1/2" | 25 | 90 | |
| | | 156 | | Clear | | 5-1/2" | 25 | 90 | |
| 25 | 130 | 160 | T10 | Med. | Clear |  | 5-5/8" | 25 | 260 |
| | | 161 | | | Frost | | 5-5/8" | 25 | 260 |
| 30 | 130 | 162 | R20 | | Reflector Spotlight I.F. | | 3-15/16" | 60 | 187 |
| 30-100 | 130 | 163 | A21 | | 30/70/100/IF 3-WAY |  | 5-15/16" | 24 | 200-825 |
| 40 | 130 | 164 | A15 | | Inside Frost Appliance |  | 3-1/2" | 120 | 250 |
| | | 165 | A19 | Inside Frost | 4-1/2" | | 120 | 325 | |
| | | 166 | | Clear | 4-1/2" | | 120 | 325 | |

DELTA PRODUCTS

INCANDESCENT LAMPS

LONG LIFE

24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|--------|-------|----------|------|------|---------------------|--|-----------|---------------|----------|
| 40 | 130 | 168 | A19 | Med. | Orange |  | 4-1/2" | 120 | - |
| | | 169 | | | Red | | 4-1/2" | 120 | - |
| | | 170 | | | Yellow | | 4-1/2" | 120 | - |
| | | 171 | | | Blue | | 4-1/2" | 120 | - |
| | | 172 | | | Green | | 4-1/2" | 120 | - |
| | | 173 | | | Pink | | 4-1/2" | 120 | - |
| 40 | 130 | 179 | T10 | Med. | Clear |  | 5-5/8" | 25 | 440 |
| | | 180 | | | Inside Frost | | 5-5/8" | 25 | 440 |
| 50 | 130 | 181 | R20 | Med. | Reflector Light |  | 3-15/16" | 60 | 392 |
| | | 182 | | | Blue | | 3-15/16" | 60 | - |
| | | 183 | | | Pink | | 3-15/16" | 60 | - |
| | | 184 | | | Green | | 3-15/16" | 60 | - |
| | | 185 | | | Red | | 3-15/16" | 60 | - |
| | | 186 | | | Yellow | | 3-15/16" | 60 | - |
| 187 | Amber | 3-15/16" | 60 | - | | | | | |
| 50-150 | 130 | 191 | A21 | Med. | 50/100/150/IF 3-Way |  | 5-5/16" | 60 | 325-1250 |
| 60 | 130 | 193 | A19 | Med. | Inside Frost |  | 4-1/2" | 120 | 570 |
| | | 194 | | | Clear | | 4-1/2" | 120 | 580 |
| | | 197 | | | I.F. Rough Service | | 4-1/2" | 120 | - |
| | | 199 | | | Bug Yellow | | 4-1/2" | 24 | - |
| | | 200 | | | Pink | | 4-1/2" | 120 | - |
| | | 201 | | | Orange | | 4-1/2" | 120 | - |
| | | 202 | | | Blue | | 4-1/2" | 120 | - |
| | | 203 | | | Green | | 4-1/2" | 120 | - |
| | | 204 | | | Red | | 4-1/2" | 120 | - |
| 75 | 130 | 208 | A19 | Med. | Inside Frost |  | 4-1/2" | 120 | 775 |
| | | 209 | | | Clear | | 4-1/2" | 120 | 775 |
| | | 210 | | | I.F. Rough Service | | 4-1/2" | 120 | - |
| 75 | 130 | 211 | BR38 | Med. | Outdoor Spot |  | 5-5/16" | 12 | 765 |
| | | 212 | | | Outdoor Flood | | 5-5/16" | 12 | 765 |
| 65 | 130 | 220 | BR30 | Med. | Indoor Spot |  | 5-3/8" | 60 | 650 |
| | | 221 | | | Indoor Flood | | 5-3/8" | 60 | 650 |
| | | 222 | | | Snowwhite | | 5-3/8" | 24 | - |
| | | 223 | | | Blue | | 5-3/8" | 24 | - |
| | | 224 | | | Green | | 5-3/8" | 24 | - |
| | | 225 | | | Pink | | 5-3/8" | 24 | - |
| | | 226 | | | Red | | 5-3/8" | 24 | - |
| | | 227 | | | Yellow | | 5-3/8" | 24 | - |
| | | 228 | | | Amber | | 5-3/8" | 24 | - |
| 100 | 130 | 229 | A19 | Med. | Inside Frost |  | 4-1/2" | 120 | 1100 |
| | | 230 | | | Clear | | 4-1/2" | 120 | 1100 |
| | | 661 | | | I.F. Rough Service | | 4-1/2" | 120 | - |

DELTA PRODUCTS

INCANDESCENT LAMPS

LONG LIFE

24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|--------------------|------|---------|------|--------------------|--|-----------|---------------|------|
| 100 | 130 | 231 | A19 | Med. | Pink |  | 4-1/2" | 24 | - |
| | | 232 | | | Red | | 4-1/2" | 24 | - |
| | | 233 | | | Bug Yellow | | 4-1/2" | 24 | - |
| | | 234 | | | Orange | | 4-1/2" | 24 | - |
| | | 235 | | | Blue | | 4-1/2" | 24 | - |
| | | 236 | | | Green | | 4-1/2" | 24 | - |
| | | 100 | | | 130 | | 237 | A21 | Med. |
| 238 | Clear | | 5-5/16" | 120 | | 1100 | | | |
| 239 | I.F. Rough Service | | 5-5/16" | 120 | | - | | | |
| 100 | 130 | 241 | BR40 | Med. | Flood |  | 6-1/2" | 24 | 945 |
| 75 | | 242 | | | Spot | | 6-1/2" | 24 | 735 |
| 100 | 130 | 243 | BR38 | Med. | Outdoor Flood | Weatherproof One Piece Glass  | 5-5/16" | 12 | - |
| | | 244 | | | Outdoor Spot | | 5-5/16" | 12 | - |
| | | 245 | | | Outdoor Blue | | 5-5/16" | 12 | - |
| | | 246 | | | Outdoor Green | | 5-5/16" | 12 | - |
| | | 247 | | | Outdoor Pink | | 5-5/16" | 12 | - |
| | | 248 | | | Outdoor Amber | | 5-5/16" | 12 | - |
| | | 249 | | | Bug Yellow | | 5-5/16" | 12 | - |
| | | 250 | | | Outdoor Red | | 5-5/16" | 12 | - |
| | | 125 | | | 120 | | 254 | BR40 | Med. |
| 150 | 130 | 255 | A23 | Med. | Inside Frost |  | 6-5/16" | 60 | 1770 |
| | | 256 | | | Clear | | 6-5/16" | 60 | 2100 |
| 150 | 130 | 259 | A21 | Med. | Inside Frost |  | 5-5/16" | 120 | 1770 |
| | | 260 | | | Clear | | 5-5/16" | 120 | 1770 |
| | | 663 | | | I.F. Rough Service | | 5-5/16" | 120 | - |
| 150 | 130 | 265 | PS25 | Med. | Inside Frost |  | 6-13/16" | 60 | 1770 |
| | | 266 | | | Clear | | 6-13/16" | 60 | 1770 |
| 150 | 130 | 267 | BR38 | Med. | Outdoor Spot | Weatherproof One Piece Glass  | 5-5/16" | 12 | 1730 |
| | | 268 | | | Outdoor Flood | | 5-5/16" | 12 | 1730 |
| 120 | 130 | 287 | BR40 | Med. | Spot |  | 6-1/2" | 24 | 1379 |
| | | 288 | | | Flood | | 6-1/2" | 24 | 1379 |
| | | 291 | | | Snowwhite | | 6-1/2" | 24 | - |
| | | 292 | | | Green | | 6-1/2" | 24 | - |
| | | 293 | | | Blue | | 6-1/2" | 24 | - |
| | | 294 | | | Pink | | 6-1/2" | 24 | - |
| | | 295 | | | Red | | 6-1/2" | 24 | - |
| | | 296 | | | Yellow | | 6-1/2" | 24 | - |
| | | 297 | | | Amber | | 6-1/2" | 24 | - |
| 200 | 130 | 304 | A23 | Med. | Inside Frost |  | 6-5/16" | 60 | 2335 |
| | | 305 | | | Clear | | 6-5/16" | 60 | 2335 |
| 200 | 130 | 306 | PS25 | Med. | Clear |  | 6-13/16" | 60 | 2335 |
| | | 307 | | | Inside Frost | | 6-15/16" | 60 | 2335 |



DELTA PRODUCTS

INCANDESCENT LAMPS

LONG LIFE

24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | | |
|-------|-------|------|------|---------------------------|---------------------------|---------------------------|---------------------------|---------------|------|-----|
| 250 | 120 | 320 | BR40 | Med. | Clear Heat Lamp | 6-1/2" | 12 | - | | |
| | | 321 | R40 | | Weatherproof Red | 6-1/2" | 12 | - | | |
| 300 | 130 | 335 | PS25 | Med. | Clear | 6-13/16" | 60 | 3595 | | |
| | | 336 | | | Inside Frost | 6-13/16" | 60 | 3595 | | |
| 300 | 130 | 341 | PS35 | Mog. | Clear | 9-1/8" | 24 | 4500 | | |
| | | 342 | | | Inside Frost | 9-1/8" | 24 | 4500 | | |
| 375 | 125 | 666 | R40 | Med. | Clear Heat Lamp | 6-1/2" | 12 | - | | |
| 500 | 130 | 356 | PS35 | Mog. | Clear | 9-1/8" | 24 | 7825 | | |
| 25 | 130 | 371 | A15 | Med. | Tuffskin Appliance | 3-1/2" | 120 | - | | |
| 40 | | 372 | A19 | | Tuffskin Coated | 4-1/2" | 120 | - | | |
| 60 | | 373 | | | Tuffskin Coated | 4-1/2" | 120 | - | | |
| 75 | | 374 | | | Tuffskin Coated | 4-1/2" | 120 | - | | |
| 100 | | 375 | A21 | | Tuffskin Coated | 5-5/16" | 120 | - | | |
| 150 | | 376 | PS25 | | Tuffskin Coated | 6-13/16" | 60 | - | | |
| 120 | | 377 | BR40 | | ReflectorTuffskin | 6-1/2" | 24 | - | | |
| 200 | | 378 | PS25 | | Tuffskin Coated | 6-13/16" | 60 | - | | |
| 300 | | 379 | | | Tuffskin Coated | 6-13/16" | 60 | - | | |
| 300 | | 380 | PS35 | | Mog. | Tuffskin Coated | 9-1/8" | 24 | - | |
| 50 | | 130 | 645 | | ER30 | Med. | Elliptical Reflector/E.S. | 6-3/8" | 24 | - |
| 75 | | | 646 | | ER30 | | Elliptical Reflector/E.S. | 6-3/8" | 24 | 691 |
| 120 | 648 | | ER40 | Elliptical Reflector/E.S. | 7-3/8" | | 24 | 941 | | |
| 34 | 130 | 650 | A19 | Med. | Inside Frost/Krypton/E.S. | 4-1/2" | 120 | 328 | | |
| 54 | | 651 | | | Inside Frost/Krypton/E.S. | 4-1/2" | 120 | 510 | | |
| 68 | | 652 | | | Inside Frost/Krypton/E.S. | 4-1/2" | 120 | 640 | | |
| 90 | | 653 | | | Inside Frost/Krypton/E.S. | 4-1/2" | 120 | 890 | | |
| 135 | | 654 | | | A21 | Inside Frost/Krypton/E.S. | 5-5/16" | 120 | 1650 | |



Tuffskin Bulbs Stay Intact
Ordinary Light Bulbs Shatter
Eliminates Shattered Glass
Reduces Fire Hazards

Energy Saving Lamps

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|-----------------|--------|-----------------|-----------------|-----------|---------------|---|
| 15 | 130 | 575 | B10.5 | Cand. | Clear / Torpedo | 4-1/16" | 25 | - | |
| | | 576 | | | Frost / Torpedo | 4-1/16" | 25 | - | |
| 25 | 130 | 577 | B10.5 | Cand. | Clear / Torpedo | 4-1/16" | 25 | - | |
| | | 578 | | | Frost / Torpedo | 4-1/16" | 25 | - | |
| | | 579 | | | Med. | Clear / Torpedo | 3-3/4" | 25 | - |
| 40 | 130 | 580 | B10.5 | Med. | Frost / Torpedo | 3-3/4" | 25 | - | |
| | | 581 | | | Cand. | Clear / Torpedo | 4-1/16" | 25 | - |
| | | 582 | | | | Frost / Torpedo | 4-1/16" | 25 | - |
| 60 | 130 | 583 | B10.5 | Med. | Clear / Torpedo | 3-3/4" | 25 | - | |
| | | 584 | | | Frost / Torpedo | 3-3/4" | 25 | - | |
| | | 585 | | | Cand. | Clear / Torpedo | 4-1/16" | 25 | - |
| | | 586 | | | | Frost / Torpedo | 4-1/16" | 25 | - |
| | 587 | Med. | Clear / Torpedo | 3-3/4" | 25 | - | | | |
| | 588 | | Frost / Torpedo | 3-3/4" | 25 | - | | | |







DELTA PRODUCTS

DECORATIVE LAMPS

LONG LIFE

24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | | |
|-------|-------|------|-------|-------------------|------------------------|--|--|---------------|-----|---|
| 15 | 130 | 594 | BA9 | Cand. | Clear / Flame Tip |  | 4-3/16" | 25 | - | |
| | | 595 | | | Frost / Flame Tip | | 4-3/16" | 25 | - | |
| 25 | 130 | 596 | BA9 | Cand. | Clear / Flame Tip | | 4-3/16" | 25 | - | |
| | | 597 | | | Frost / Flame Tip | | 4-3/16" | 25 | - | |
| | | 598 | Med. | Clear / Flame Tip | 4-1/16" | | 25 | - | | |
| | | | | 599 | Frost / Flame Tip | | 4-1/16" | 25 | - | |
| 40 | 130 | 600 | BA9 | Cand. | Clear / Flame Tip | | 4-3/16" | 25 | - | |
| | | 601 | | | Frost / Flame Tip | | 4-3/16" | 25 | - | |
| | | 602 | Med. | Clear / Flame Tip | 4-1/16" | | 25 | - | | |
| | | | | 603 | Frost / Flame Tip | | 4-1/16" | 25 | - | |
| 60 | 130 | 604 | BA9 | Cand. | Clear / Flame Tip | 4-3/16" | 25 | - | | |
| | | 60S | | | Frost / Flame Tip | 4-3/16" | 25 | - | | |
| | | 606 | Med. | Clear / Flame Tip | 4-1/16" | 25 | - | | | |
| | | | | 607 | Frost / Flame Tip | 4-1/16" | 25 | - | | |
| 15 | 130 | 608 | F10 | Cand. | Clear / Flame Textured |  | 3" | 25 | 95 | |
| | | 610 | | | Amber / Flame Textured | | 3" | 25 | - | |
| | | 611 | | | White / Flame Textured | | 3" | 25 | - | |
| 25 | 130 | 612 | F15 | Med. | Clear / Flame Textured |  | 4-3/8" | 25 | 140 | |
| | | 614 | | | White / Flame Textured | | 4-3/8" | 25 | - | |
| | | 615 | | | Amber / Flame Textured | | 4-3/8" | 25 | - | |
| 40 | 130 | 616 | F15 | Med. | Clear / Flame Textured | | 4-3/8" | 25 | 300 | |
| | | 617 | | | White / Flame Textured | | 4-3/8" | 25 | - | |
| 15 | 130 | 619 | G16.5 | Cand. | Clear / Globe | |  | 3" | 25 | - |
| | | 620 | | | White / Globe | 3" | | 25 | - | |
| 25 | 130 | 621 | G16.5 | Cand. | Clear / Globe | 3" | | 25 | - | |
| | | 623 | | | White / Globe | 3" | | 25 | - | |
| 40 | 130 | 624 | G16.5 | Cand. | Clear / Globe | 3" | | 25 | - | |
| | | 625 | | | White / Globe | 3" | | 25 | - | |
| 25 | 130 | 626 | G25 | Med. | White / Globe | 4-7/16" | | 60 | - | |
| | | 627 | | | Clear / Globe | 4-7/16" | | 60 | - | |
| 25 | 130 | 628 | G40 | Med. | White / Globe |  | | 7" | 24 | - |
| | | 630 | | | Clear / Globe | | | 7" | 24 | - |
| 40 | 130 | 632 | G40 | Med. | Clear / Globe | | 7" | 24 | - | |
| | | 634 | | | White / Globe | | 7" | 24 | - | |
| 60 | 130 | 635 | G40 | Med. | White / Globe | | 7" | 24 | - | |
| | | 637 | | | Clear / Globe | | 7" | 24 | - | |
| 100 | 130 | 640 | G40 | Med. | White / Globe | | 7" | 24 | - | |
| | | 644 | | | Clear / Globe | | 7" | 24 | - | |


DELTA PRODUCTS

H.I.D. LAMPS


LONG LIFE

24 MONTH GUARANTEE


SELF BALLASTED MERCURY LAMPS

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|-------|------|---------------|--|-----------|---------------|------|
| 160 | 120 | 404 | E23 | Med. | White |  | 6-13/16" | 24 | 3125 |
| | | 405 | R40 | | Indoor Flood | | 7-1/2" | 24 | - |
| | | 406 | PAR38 | | Outdoor Flood | | 6-1/2" | 24 | - |
| 250 | 120 | 407 | PS35 | Med. | White | | 9" | 24 | 5750 |
| | | 409 | E28 | | | | 9" | 24 | 5700 |
| 300 | 120 | 410 | R40 | Med. | Floodlight | | 7-1/2" | 12 | - |
| | | Mog. | | 7" | | 12 | - | | |
| | | 413 | E28 | | White | 8-1/2" | 12 | 6750 | |


MERCURY VAPOR LAMPS

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|------|------|--------------|---|--------------|---------------|-------|
| 100 | 120 | 388 | E17 | Med. | Clear |  | 5-7/16" | 12 | 4000 |
| | | 389 | | | Deluxe White | | 5-7/16" | 12 | 4000 |
| | | 390 | E23 | Mog. | Clear | | 7-1/2" | 12 | 4000 |
| | | | | | 391 | | Deluxe White | 7-1/2" | 12 |
| 175 | 120 | 392 | E28 | Mog. | Clear | | 8-1/4" | 12 | 7800 |
| | | 393 | | | Deluxe White | | 8-1/4" | 12 | 7800 |
| 250 | 120 | 394 | E28 | Mog. | Clear | | 8-1/4" | 12 | 11200 |
| | | 395 | | | Deluxe White | | 8-1/4" | 12 | 11200 |
| 400 | 120 | 399 | E37 | Mog. | Clear | 11-15/16" | 6 | 22600 | |
| | | 400 | | | Deluxe White | 11-15/16" | 6 | 22600 | |

STANDARD METAL HALIDE LAMPS

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|------|------|-----------------|--|-----------|---------------|--------|
| 175 | 120 | 1050 | ED28 | Mog. | MH-175/U/Clear |  | 8-5/16" | 12 | 13000 |
| 250 | | 1051 | | | MH-250/U/Clear | | 8-5/16" | 12 | 21000 |
| 400 | | 1052 | ED37 | | MH-400/U/Clear | | 11-1/2" | 12 | 33000 |
| 1000 | | 1053 | BT56 | | MH-1000/U/Clear | | 15-3/8" | 6 | 105000 |

HIGH PRESSURE SODIUM LAMPS



| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|--------|------|--------------------|--|-----------|---------------|--------|
| 50 | 120 | 1054 | ED17 | Med. | LU-50 / Clear |  | 5-7/16" | 12 | 4000 |
| 50 | | 1055 | ED23.5 | Mog. | LU-50 / Clear | | 7-5/16" | 12 | 4000 |
| 70 | | 1056 | ED17 | Med. | LU-70 / Clear | | 5-7/16" | 12 | 6400 |
| 70 | | 1057 | ED23.5 | Mog. | LU-70 / Clear | | 7-5/16" | 12 | 6300 |
| 100 | | 1058 | ED17 | Med. | LU-100 / Clear | | 5-7/16" | 12 | 9500 |
| 100 | | 1059 | ED28 | Mog. | LU-150/100 / Clear | | 8-5/16" | 12 | 15000 |
| 150 | | 1060 | ED17 | Med. | LU-150 / Clear | | 5-7/16" | 12 | 16000 |
| 150 | | 1061 | ED23.5 | Mog. | LU-150/55 / Clear | | 7-5/16" | 12 | 14400 |
| 250 | | 1062 | ED18 | | LU-250 / Clear | | 9-3/4" | 12 | 27500 |
| 400 | | 1063 | | | LU-400 / Clear | | 9-3/4" | 12 | 48000 |
| 1000 | | 1064 | ED25 | | LU-1000 / Clear | | 15-1/16" | 6 | 130000 |

DELTA PRODUCTS

QUARTZ HALOGEN LAMPS

LONG LIFE


24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|------|----------|----------------------|--|-----------|---------------|-------|
| 150 | 130 | 420 | T4 | mini-can | Single Ended / Clear |  | 2-5/8" | 10 | 2700 |
| 250 | 130 | 421 | T4 | mini-can | Single Ended / Clear | | 3-1/8" | 10 | 4800 |
| 500 | 130 | 424 | T4 | mini-can | Single Ended / Clear | | 3-5/8" | 10 | 7850 |
| 500 | 130 | 426 | T3 | RSC | Double Ended / Clear |  | 4-11/16" | 12 | 10500 |
| 1500 | 208 | 427 | T3 | RSC | Double Ended / Clear | | 10-1/16" | 12 | 33000 |
| | 240 | 428 | T3 | RSC | Double Ended / Clear | | 10-1/16" | 12 | 33000 |
| | 277 | 429 | T3 | RSC | Double Ended / Clear | | 10-1/16" | 12 | 33000 |

HALOGEN PAR LAMPS

LONG LIFE


24 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|-------|------|-----------------|--|-----------|---------------|------|
| 50 | 130 | 671 | PAR20 | Med. | 40° Flood Light |  | 3-1/4" | 15 | 600 |
| 50 | 130 | 672 | PAR30 | Med. | 40° Flood Light | | 3-5/8" | 15 | 600 |
| 75 | 130 | 673 | PAR30 | Med. | 40° Flood Light | | 3-5/8" | 15 | 1100 |
| 90 | 130 | 674 | PAR38 | Med. | 30° Flood Light | | 5-5/16" | 15 | 1300 |

COMPACT FLUORESCENT

LONG LIFE

36 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|--------|------|----------------------|--|-----------|---------------|-------|
| 15 | 120 | 675 | Mini | Med. | 2700K / Soft White |  | 5.13" | 10/50 | 950 |
| | | 676 | Spiral | | 3500K / Bright White | | | | |
| | | 677 | | | 4100K / Cool White | | | | |
| | | 684 | | | 5000K / Daylight | | | | |
| 20 | 120 | 678 | Spiral | Med. | 2700K / Soft White | | 5.69" | 10/50 | 1200 |
| | | 679 | | | 3500K / Bright White | | | | |
| | | 680 | | | 4100K / Cool White | | | | |
| | | 685 | | | 5000K / Daylight | | | | |
| 25 | 120 | 681 | Spiral | Med. | 2700K / Soft White | | 5.69" | 10/50 | 1500 |
| | | 682 | | | 3500K / Bright White | | | | |
| | | 683 | | | 4100K / Cool White | | | | |
| | | 686 | | | 5000K / Daylight | | | | |
| 11 | 120 | 687 | Mini | Med. | 2700K / Soft White | 4.69" | 10/50 | 600 | |
| | | 688 | Spiral | | 3500K / Bright White | | | | |
| | | 689 | | | 4100K / Cool White | | | | |
| | | 690 | | | 5000K / Daylight | | | | |
| 9 | 120 | 691 | Mini | Med. | 2700K / Soft White | 4.39" | 10/50 | 525 | |
| 13 | | 693 | Spiral | | 2700K / Soft White | | | | 5.23" |

DELTA PRODUCTS

15

LINEAR FLUORESCENT LAMPS

LONG LIFE

60 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen |
|-------|-------|------|------|-------------|--------------------|--|-----------|---------------|
| 4 | 120 | 430 | T5 | Mini Bi Pin | F4T5/Cool White |  | 6" | 135 |
| 6 | | 431 | | | F6T5/Cool White | | 9" | 270 |
| 8 | | 432 | | | F8T5/Cool White | | 12" | 390 |
| 14 | 120 | 433 | T12 | Med. Bi Pin | F14T12/Cool White |  | 15" | 680 |
| | | 434 | | | F14T12/Warm White | | 15" | 690 |
| 15 | 120 | 472 | T8 | Med. Bi Pin | F15T8/Cool White |  | 18" | 870 |
| | | 473 | | | F15T8/Daylight | | 18" | 600 |
| 15 | 120 | 435 | T12 | Med. Bi Pin | F15T12/Cool White |  | 18" | 780 |
| | | 436 | | | F15T12/Warm White | | 18" | 790 |
| | | 438 | | | F15T12/Daylight | | 18" | 680 |
| 20 | 120 | 440 | T12 | Med. Bi Pin | F20T12/Cool White |  | 24" | 1200 |
| | | 441 | | | F20T12/Warm White | | 24" | 1240 |
| | | 442 | | | F20T12/Artic Brite | | 24" | 935 |
| | | 443 | | | F20T12/Daylight | | 24" | 1075 |
| | | 444 | | | F20T12/Spectralite | | 24" | 840 |
| | | 445 | | | F20T12/Cool Green | | 24" | - |
| 30 | 120 | 446 | T12 | Med. Bi Pin | F30T8/Cool White |  | 36" | 2200 |
| | | 447 | | | F30T8/Warm White | | 36" | 2215 |
| | | 448 | | | F30T8/Artic Lite | | 36" | 2100 |
| | | 449 | | | F30T8/Daylight | | 36" | 1900 |
| 30 | 120 | 450 | T12 | Med. Bi Pin | F30T12/Cool White |  | 36" | 2250 |
| | | 451 | | | F30T12/Daylight | | 36" | 1930 |
| | | 452 | | | F30T12/Warm White | | 36" | 2300 |
| | | 453 | | | F30T12/Cool Green | | 36" | - |
| | | 454 | | | F30T12/Spectralite | | 36" | 1550 |

| Color | Kelvin° | Color Rendering Index | Color | Kelvin° | CRI |
|-------------|---------|-----------------------|------------|---------|-----|
| Artic Brite | 5100° | 82 | Warm White | 3000° | 54 |
| Spectralite | 5900° | 90 | Daylight | 6500° | 84 |
| Artic Lite | 5000° | 92 | Cool White | 4150° | 62 |






DELTA PRODUCTS

16

LINEAR FLUORESCENT LAMPS

LONG LIFE

60 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen |
|-------|-------|------|-----------------------|-------------|-----------------------|--|-----------|-------------------------|
| 34 | 120 | 457E | T12 | Med. Bi Pin | F34T12/Warm White/ES |  | 48" | 2700 |
| 40 | | 458 | | | F40T12/Daylight | | 48" | 2325 |
| | | 461 | | | F40T12/Artic Brite | | 48" | 2400 |
| | | 463 | | | F40T12/Cool Green | | 48" | - |
| 40 | | 465 | | | F40T12/Spectralite | | 48" | 2430 |
| | | 465E | | | F34T12/Spectralite/ES | | 48" | 1915 |
| 34 | | 469 | | | F34T12/Cool White/ES | | 48" | 2650 |
| 39 | 120 | 470 | T12 | Single Pin | F48T12/Cool White |  | 48" | 2900 |
| | | 471 | | | F48T12/Daylight | | 48" | - |
| 50 | 120 | 476 | T12 | Single Pin | F60T12/Cool White |  | 60" | 3450 |
| 57 | | 479 | | | F72T12/Artic Brite | | 72" | 3325 |
| | | 480 | | | F72T12/Cool White | | 72" | 4450 |
| 25 | 120 | 482 | T6 | Single Pin | F42T6/CW/Slimline |  | 42" | - |
| 40 | | 483 | | | F64T6/CW/Slimline | | 64" | - |
| 75 | 120 | 489 | T12 | Single Pin | F96T12/Daylight |  | 96" | 4500 |
| 60 | | 491E | | | F96T12/Warm White/ES | | 96" | - |
| 75 | | 492 | | | F96T12/Artic Brite | | 96" | 4775 |
| 75 | | 494 | | | F96T12/Cool Green | | 96" | - |
| 75 | | 497 | | | F96T12/Spectralite | | 96" | 4340 |
| 60 | | 500 | | | F96T12/Cool White/ES | | 96" | 5400 |
| 60 | | 120 | | | 501 | | T12 | Recessed Double Contact |
| 60 | 502 | | F48T12/Daylight/HO | 48" | - | | | |
| 87 | 503 | | F72T12/Cool White/HO | 72" | 6350 | | | |
| 85 | 504 | | F72T12/Daylight/HO | 72" | - | | | |
| 110 | 505 | | F96T12/Cool White/HO | 96" | 8800 | | | |
| 95 | 505E | | F96T12/CW/HO/ES | 96" | 8000 | | | |
| 110 | 506 | | F96T12/Artic Brite/HO | 96" | 6780 | | | |
| 110 | 507 | | F96T12/Daylight/HO | 96" | 6750 | | | |
| 110 | 508 | | F48T12/CW/V.H.O. | 48" | - | | | |
| 165 | 509 | | F72T12/CW/V.H.O. | 72" | - | | | |
| 215 | 510 | | F96T12/CW/V.H.O. | 96" | 16000 | | | |



| Color | Kelvin° | Color Rendering Index | Color | Kelvin° | CRI |
|-------------|---------|-----------------------|------------|---------|-----|
| Artic Brite | 5100° | 82 | Warm White | 3000° | 54 |
| Spectralite | 5900° | 90 | Daylight | 6500° | 84 |
| | | | Cool White | 4150° | 62 |

DELTA PRODUCTS

LINEAR FLUORESCENT LAMPS

LONG LIFE

60 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen |
|-------|-------|------|------|--------|-------------|--|-----------|---------------|
| 17 | 120 | 1200 | T8 | Bi-Pin | F17T8/830 |  | 25 | 1400 |
| 17 | | 1201 | | G13 | F17T8/835 | | | |
| 17 | | 1202 | | | F17T8/841 | | | |
| 17 | | 1203 | | | F17T8/850 | | | |
| 25 | 120 | 1204 | T8 | Bi-Pin | F25T8/830 |  | 25 | 2250 |
| 25 | | 1205 | | G13 | F25T8/835 | | | |
| 25 | | 1206 | | | F25T8/841 | | | |
| 25 | | 1207 | | | F25T8/850 | | | |
| 32 | 120 | 1208 | T8 | Bi-Pin | F32T8/830 |  | 25 | 3050 |
| 32 | | 1209 | | G13 | F32T8/835 | | | |
| 32 | | 1210 | | | F32T8/850 | | | |

Through technological advances and the highest grade components, T8 fluorescent lamps can save up to 40% on energy costs with no loss of light over older technology T12 lamps.

The Delta Ultra 8 fluorescent series provides an economical as well as environmentally responsible alternative to standard T12 lamps.

The Ultra 8 lamps utilize protective coatings, effectively reducing the phosphor degradation while increasing lumen output. Advanced halophosphor and triphosphor coatings have also been added to increase the lumen stability and allow higher loading. Delta Ultra 8 lamps employ a precision engineered cathode guard, which prevents end darkening to insure maximum light output throughout the life of the lamp. (800 Series) Tri-Phosphor lamps render colors closer to that of nature.

These lamps are most suitable for paint stores, retail shops, clothing boutiques, hair salons, printing businesses and graphic arts studios.













| Color | Kelvin° | Color Rendering Index | Color | Kelvin° | CRI |
|-------|---------|-----------------------|-------|---------|-----|
| 830 | 3000° | 86 | 841 | 4100° | 86 |
| 835 | 3500° | 86 | 850 | 5000° | 86 |

DELTA PRODUCTS

COMPACT FLUORESCENT

LONG LIFE

36 MONTH GUARANTEE





| Watts | Volts | Code | CRI | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|-----|--------|---------------------------|--|-----------|---------------|------|
| 5 | 35 | 1211 | 82 | G23 | CF5 Single / 827 / 2 Pin |  | 4.3" | 50 | 250 |
| 5 | | 1212 | | | CF5 Single / 835 / 2 Pin | | | 50 | 250 |
| 5 | | 1213 | | | CF5 Single / 841 / 2 Pin | | | 50 | 250 |
| 5 | | 1214 | | | CF5 Single / 865 / 2 Pin | | | 50 | 240 |
| 7 | 45 | 1215 | 82 | G23 | CF7 Single / 827 / 2 Pin |  | 5.4" | 50 | 400 |
| 7 | | 1216 | | | CF7 Single / 835 / 2 Pin | | | 50 | 400 |
| 7 | | 1217 | | | CF7 Single / 841 / 2 Pin | | | 50 | 400 |
| 7 | | 1218 | | | CF7 Single / 865 / 2 Pin | | | 50 | 380 |
| 9 | 59 | 1219 | 82 | G23 | CF9 Single / 827 / 2 Pin |  | 6.6" | 50 | 600 |
| 9 | | 1220 | | | CF9 Single / 835 / 2 Pin | | | 50 | 600 |
| 9 | | 1221 | | | CF9 Single / 841 / 2 Pin | | | 50 | 600 |
| 9 | | 1222 | | | CF9 Single / 865 / 2 Pin | | | 50 | 570 |
| 13 | 59 | 1223 | 82 | GX23 | CF13 Single / 827 / 2 Pin |  | 7.1" | 50 | 800 |
| 13 | | 1224 | | | CF13 Single / 835 / 2 Pin | | | 50 | 800 |
| 13 | | 1225 | | | CF13 Single / 841 / 2 Pin | | | 50 | 800 |
| 13 | | 1226 | | | CF13 Single / 850 / 2 Pin | | | 50 | 800 |
| 13 | | 1227 | | | CF13 Single / 865 / 2 Pin | | | 50 | 760 |
| 9 | 59 | 1228 | 82 | G23-2 | CF9 Double / 827 / 2 Pin |  | 4.3" | 50 | 525 |
| 9 | | 1229 | | | CF9 Double / 835 / 2 Pin | | | 50 | 525 |
| 9 | | 1230 | | | CF9 Double / 841 / 2 Pin | | | 50 | 525 |
| 9 | | 1231 | | | CF9 Double / 865 / 2 Pin | | | 50 | 500 |
| 13 | 59 | 1232 | 82 | GX23-2 | CF13 Double / 827 / 2 Pin |  | 4.7" | 50 | 780 |
| 13 | | 1233 | | | CF13 Double / 835 / 2 Pin | | | 50 | 780 |
| 13 | | 1234 | | | CF13 Double / 841 / 2 Pin | | | 50 | 780 |
| 13 | | 1235 | | | CF13 Double / 850 / 2 Pin | | | 50 | 780 |
| 13 | | 1236 | | | CF13 Double / 865 / 2 Pin | | | 50 | 740 |
| 18 | 100 | 1237 | 82 | G24d-2 | CF18 Double / 827 / 2 Pin |  | 6.0" | 50 | 1200 |
| 18 | | 1238 | | | CF18 Double / 835 / 2 Pin | | | 50 | 1200 |
| 18 | | 1239 | | | CF18 Double / 841 / 2 Pin | | | 50 | 1200 |
| 18 | | 1240 | | | CF18 Double / 865 / 2 Pin | | | 50 | 1140 |
| 26 | 105 | 1241 | 82 | G24d-3 | CF26 Double / 827 / 2 Pin |  | 6.8" | 50 | 1800 |
| 26 | | 1242 | | | CF26 Double / 835 / 2 Pin | | | 50 | 1800 |
| 26 | | 1243 | | | CF26 Double / 841 / 2 Pin | | | 50 | 1800 |
| 26 | | 1244 | | | CF26 Double / 865 / 2 Pin | | | 50 | 1710 |
| 10 | 64 | 1245 | 82 | G24q-1 | CF10 DE / 827 / 4 Pin |  | 4.1" | 50 | 600 |
| 10 | | 1246 | | | CF10 DE / 835 / 4 Pin | | | 50 | 600 |
| 10 | | 1247 | | | CF10 DE / 841 / 4 Pin | | | 50 | 600 |
| 13 | 91 | 1248 | 82 | G24q-1 | CF13 DE / 827 / 4 Pin |  | 5.2" | 50 | 900 |
| 13 | | 1249 | | | CF13 DE / 835 / 4 Pin | | | 50 | 900 |
| 13 | | 1250 | | | CF13 DE / 841 / 4 Pin | | | 50 | 900 |
| 13 | | 1251 | | | CF13 DE / 865 / 4 Pin | | | 50 | 860 |
| 18 | 100 | 1252 | 82 | G24q-2 | CF18 DE / 827 / 4 Pin |  | 5.8" | 50 | 1200 |
| 18 | | 1253 | | | CF18 DE / 835 / 4 Pin | | | 50 | 1200 |
| 18 | | 1254 | | | CF18 DE / 841 / 4 Pin | | | 50 | 1200 |
| 26 | 105 | 1255 | 82 | G24q-3 | CF26 DE / 827 / 4 Pin |  | 6.5" | 50 | 1800 |
| 26 | | 1256 | | | CF26 DE / 835 / 4 Pin | | | 50 | 1800 |
| 26 | | 1257 | | | CF26 DE / 841 / 4 Pin | | | 50 | 1800 |
| 26 | | 1258 | | | CF26 DE / 865 / 4 Pin | | | 50 | 1710 |

DELTA PRODUCTS

FLUORESCENT LAMPS

LONG LIFE

60 MONTH GUARANTEE

| Watts | Volts | Code | Bulb | Base | Description | Length | Std. Case | Approx. Lumen | |
|-------|-------|------|------|------------|------------------------|--|-----------|---------------|------|
| 22 | 120 | 511 | T9 | 4 Pin | FC8T9/CW/Circline |  | 12 | 1050 | |
| 32 | | 512 | | | FC12T9/CW/Circline | | | 12" O.D. | 1800 |
| 40 | | 513 | | | FC16T9/CW/Circline | | | 16" O.D. | 2750 |
| 34 | 120 | 514E | T12 | Med.Bi Pin | FB34CW/6/U-Bent |  | 12 | 2400 | |
| | | 516E | | | FB40CW/3/U-Bent | | | 12 | 2725 |
| | | 517E | | | FB40WW/3/U-Bent | | | 12 | 2825 |
| 32 | 120 | 695 | T8 | Med.Bi Pin | FB32T8/830/6/U-Bent |  | 20 | 2900 | |
| | | 696 | | | FB32T8/835/6/U-Bent | | | 23" | 2900 |
| | | 697 | | | FB32T8/841/6/U-Bent | | | 23" | 2900 |
| | | 698 | | | FB32T8/850/6/U-Bent | | | 23" | 2750 |
| 32 | 120 | 670 | T8 | Med.Bi Pin | F32T8/Earth 841/86 CRI |  | 25 | 3050 | |
| 40 | 120 | 694 | T10 | Pin | F40T10/950/90 CRI | | 25 | 3500 | |

When Safety Counts - Use Arm-A-Light Tube Guards

AT MINIMUM COST - THEY ARE REUSABLE AND UNBREAKABLE

In addition to allowing an efficient low temperature operational system, they provide exposed tubes with protection from dirt, dust and bugs. Breakage is decreased and cold weather efficiency is increased. C2 listing for N.S.F. Other sizes are available.

| Code | Length | Std. Case | Base | Description | Description / Base | Length | Std. Case | Code |
|------|--------|-----------|----------------|-------------|--------------------|--------|-----------|------|
| 518 | 48" | 24 | Med Bi-Pin T12 | Clear | | | | |
| 519 | | 24 | | Gold | | | | |
| 520 | | 24 | | Red | | | | |
| 521 | | 24 | | Blue | | | | |
| 522 | | 24 | | Green | | | | |
| 523 | | 24 | | Pink | | | | |
| 524 | 48" | 24 | Single Pin T12 | Clear | | | | |
| 525 | | 24 | | Gold | | | | |
| 526 | | 24 | | Red | | | | |
| 527 | | 24 | | Blue | | | | |
| 528 | | 24 | | Green | | | | |
| 529 | | 24 | | Pink | | | | |

| Color | Kelvin° | Color Rendering Index | Color | Kelvin° | CRI |
|-------|---------|-----------------------|------------|---------|-----|
| 830 | 3000° | 85 | Warm White | 3000° | 54 |
| 835 | 3500° | 85 | Cool White | 4150° | 62 |
| 841 | 4100° | 85 | 850 | 5000° | 84 |

DELTA PRODUCTS

BALLASTS / FIXTURES

36 MONTH GUARANTEE

MAGNETIC BALLAST / 120 VOLTS

| Watts | Volts | Code | Description | Bulb Designation | Std. Case | |
|-------|-------|------|---------------------------------|------------------|--------------|----|
| 20 | 120 | 542 | 546B | 1 - Lamp | F20T12 | 10 |
| 20 | | 543 | 447L | 2 - Lamp | F20T12 | 10 |
| 40 | | 544 | 413B | 1 - Lamp | F40T12 | 10 |
| 75 | | 546 | 822BR | 1 - Lamp | F96T12 | 6 |
| 110 | | 548 | 480XLH / HO | 2 - Lamp | F96T12 / HO | 4 |
| 215 | | 549 | 931 LH / VHO | 2 - Lamp | F96T12 / VHO | 4 |
| 34 | | 668 | 34W 120-277V 2 LAMP T12 BALLAST | 2 - Lamp | F40T12 | 10 |
| 60 | | 669 | 60W 120-277V 2 LAMP T12 BALLAST | 2 - Lamp | F96T12 | 10 |

MAGNETIC BALLAST / 277 VOLTS

| Watts | Volts | Code | Description | Bulb Designation | Std. Case | |
|-------|-------|------|-------------|------------------|--------------|----|
| 110 | | 552 | 487XLH / HO | 2 - Lamp | F96T12 / HO | 10 |
| 215 | | 553 | 937K / VHO | 2 - Lamp | F96T12 / VHO | 6 |

ELECTRONIC BALLAST / DUAL VOLTAGE 120 or 277 VOLTS

| Watts | Volts | Code | Description | Bulb Designation | Std. Case | |
|-------|--------|------|-------------|------------------|----------------|----|
| 32 | 120 or | 554 | B232 | 1 - 2 Lamp | F17/F25/F32 T8 | 10 |
| 32 | 277 | | | | | |
| | | 555 | B432 | 3 - 4 Lamp | F17/F25/F32 T8 | 10 |

FIXTURES / 120 VOLTS

| Watts | Volts | Code | Description | Number of Lamps | Length | |
|-------|-------|------|---------------------------------|-----------------|----------|-----|
| 34 | 120 | 560 | Channel Type Fixture | CH - 240 | 2 - Lamp | 48" |
| 60 | | 562 | Channel Type Fixture | CH - 296 | 2 - Lamp | 96" |
| 34 | | 565 | Industrial Type Fixture w/ Hood | I - 240 | 2 - Lamp | 48" |
| 60 | | 566 | Industrial Type Fixture w/ Hood | I - 296 | 2 - Lamp | 96" |
| 110 | | 568 | Industrial Type Fixture w/ Hood | I - 296HO | 2 - Lamp | 96" |
| 215 | | 570 | Industrial Type Fixture w/ Hood | I - 240VHO | 2 - Lamp | 96" |
| 20 | | 572 | Lay-In Type For Drop Ceilings | 1430 - 420 | 4 - Lamp | 24" |
| 34 | | 574 | Lay-In Type For Drop Ceilings | 1430 - 440 | 4 - Lamp | 48" |



CHEMICAL PACKAGE CODES

- A - QUART
- B - 2.5 GALLON
- C - GALLON
- D - 5 GALLON PAIL
- E - 30 GALLON DRUM
- G - 55 GALLON DRUM

MADE ESPECIALLY FOR INDUSTRIAL AND INSTITUTIONAL USE

CAUTION: KEEP OUT OF REACH OF CHILDREN

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|-------------|--|
| | <u>SUPER NAC - ALL PURPOSE CLEANER</u> |
| 700A | A concentrated, well balanced all purpose cleaner designed for safe removal of all types of soiling conditions. This product is manufactured with a blended synergistic detergent system to maximize emulsification and wetting properties. Safe for any water washable surface / Can be used on any surface without fear of damage / Contains no strong alkamines or glycol ethers and is biodegradable / Offers maximum safety to users and is environmentally sound / Up to 100:1 dilution |
| 700C | |
| 700D | |
| | |

| | |
|-------------|---|
| | <u>HEAVY DUTY BUTYL DEGREASER CLEANER</u> |
| 701A | A versatile cleaner formulated with a balance of alkalinity builders, surfactants, and solvents to tackle a wide range of jobs. Effective for removing polymers, waxes, grease, oil, carbon deposits, inks and soap scum from virtually any surface. Excellent for use in Food Service areas and all industrial and institutional facilities. For supercleaning, degreasing and wax stripping. Floor Stripping: Removal of floor finishes, floor seals and waxes. Dilute 1 part to 5 parts water (26 oz. per gallon) for normal build-up. A stronger dilution may be necessary for heavier build-ups. Kitchen Cleaning: Ovens, fat fryers, hoods and greasy floors. Dilute 1 part to 2 parts water (64 oz. per gallon). Heavy Duty Degreasing: Dilute 1 part to 4 parts water (32 oz. per gallon). Medium Duty Cleaning: Dilute 1 part to 25 parts water (5 oz. per gallon). Light Duty Cleaning: Dilute 1 part to 40 parts water (3 oz. per gallon). |
| 701C | |
| 701D | |
| 701E | |
| 701G | |
| | |

| | |
|-------------|---|
| | <u>SOAP FILM REMOVER</u> |
| 702C | A unique combination of special chemicals that quickly and easily dissolve and remove dingy, unsanitary soap scum. Does effortlessly what can't be done, even by hard scrubbing with ordinary cleaners or abrasives. Also, highly effective as a water softening additive to other cleaners being used in hard water areas. Up to 32:1 dilution depending on use. |
| 702D | |
| | |

| | |
|-------------|--|
| | <u>GLASS JOE</u> |
| 703A | A non-streaking concentrated glass, window and all-purpose cleaner. Use on mirrors, table tops, household windows, vehicle glass, car interiors, etc... The dilution ratio is 1/10 or 12 oz. per gallon of water. Biodegradable. |
| 703C | |
| | |

| | |
|-------------|---|
| | <u>ONE UP - FURNITURE POLISH - PINT</u> |
| 704A | Cleans, polishes and protects. A lemon scented furniture polish for use on fine wood, metal, leather, vinyl and plastic furniture, linoleum, desk tops, wood paneling, office equipment, appliances, etc. Leaves a hard, dry, high-gloss, long-lasting protective film. Packaged in non-aerosol containers for additional savings. The benefits of this product are non-aerosol, it cleans and polishes in one step, each pint equals 3 aerosols, a long lasting shine with no waxy build-up, and a neutral pH. |

| | |
|-------------|---|
| | <u>PINK LOTION - DISH DETERGENT</u> |
| 705C | A lotionized dishwashing detergent specially formulated for industrial, institutional and restaurant use. Quickly emulsifies grease and oil quickly while maintaining its long-lasting suds. All pots, pans, glassware and dishes are left spot free. Contains no soap and is pH balanced to be mild on hands. Dishes and Glassware: Use 1/2 oz. of product per gallon of water. Pots, Pans, and Utensils: Use 2 to 3 ounces of product per gallon of water. Allow to soak for a few minutes before washing. Most effective when used with hot water. |
| 705D | |
| | |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|------|---|
| | <u>PINK LOTION SOAP - High Quality Smoothing Hand Soap</u> |
| 706C | Formulated with unadulterated coconut oil for it's rich lather and deep cleaning, with all its natural glycerin retained to avoid drying the skin...then it is lotionized to make it even more pleasant to use for washing the hands, the hair and the whole body. Wet the hands, hair or skin with water. Then add a few drops of Pink Lotion soap. Rub to a lather to clean. Rinse off with clear water. |
| 706D | |
| | |
| | <u>COCONUT OIL HAND SOAP</u> |
| 707C | For a rich lather and deep cleaning. A liquid soap of superior quality for washing the skin and hands. Formulated with unadulterated coconut oil for its rich lather and its deep cleaning... All the natural glycerin has been retained to avoid drying the skin. For washing the hands, the hair and the entire body. |
| 707D | |
| | |
| | <u>KLEAN KARL</u> |
| 708A | A high-powered combination of deep cleaning detergents fortified with safe to handle acids for the removal of soil and scum too tough for ordinary cleaners. It restores luster and brightness to shower stalls, bathroom tile, grout, drinking fountains, glass, bathtubs, sinks, toilet bowls, urinals, quarry tile, chrome, brass, stainless steel, etc. This product powers through and removes hard water stains, lime deposits, soap film, rust stains, mildew, oxidation, corrosion, etc. Safe for fittings & ceramic tile. Makes drinking fountains shine. Use full strength or dilute up to 5:1. |
| | <u>MILDEW KUNG-FU</u> |
| 709A | Works like magic! There's nothing to mix with this amazing product. Just spray the ready-to-use liquid over mildew stains and both the stain and any odor from the stain disappear immediately...That's immediately, with no scrubbing, no rubbing, leaving sprayed areas restored with no evidence of the past condition. Penetrates deep into the pores of grouting and painted surfaces where brushing the surface would have done little good. Works immediately with practically no dwell time. Needed everywhere, but especially great at the seashore and other humid areas. |
| | <u>FUMELESS DRAIN OPENER</u> |
| 710A | A fast acting, non-acid liquid for opening and maintaining drains and traps in sinks, tubs, toilets, urinals and floor outlets by dissolving and liquefying grease, paper, sanitary napkins and the hair and soap residue that holds it together. Also great for cleaning commercial grease traps. HARMLESS to porcelain, plumbing fixtures, plastic pipes and septic tanks. |
| | <u>DECLOG - DRAIN OPENER</u> |
| 711A | THE CLOG TERMINATOR! Powerful liquid blasts through stoppages caused by soap, paper, grease, hair, vegetable and all organic wastes. Will not affect the action of septic tanks or cesspools. Contains virgin sulfuric acid. Individually bagged. New label contains the best safety warnings in the business! |
| | <u>DEO PINE OIL - Deodorant Cleaner</u> |
| 712C | A pure pine oil deodorant cleaner designed for cleaning and deodorizing. This high active formulation is manufactured with pure steam distilled pine oil, anionic/nonionic detergent system and emulsifiers for outstanding cleaning and deodorizing. Concentrated janitorial strength. Contains no phosphates and is completely biodegradable. Multi-purpose formulation that deodorizes, cleans, degreases and removes stains. Great for deodorizing and cleaning bathrooms, kitchens, floors, walls, locker rooms, furniture, beds, basements and hard surfaces. |
| 712D | |
| | |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|-------------|---|
| | <u>BELIEVE IT</u> |
| 714A | Lifts stains from carpet and upholstery on contact with no soapy residue. Contains no solvents or hazardous ingredients. Original Formula. pH Neutral. R.T.U. on Blood, Berries, Catsup, Iodine, Grass Stains, Tracked-in-Dirt, Fruit Juice and Wine. |

| | |
|-------------|---|
| | <u>CHERRY ODOR SUPPRESSANT</u> |
| 715A | Eliminates repulsive malodors fast. Non-Staining and Non-Oily. A concentrated liquid deodorant specially formulated to suppress and control malodors while leaving a pleasant fragrance to the surroundings. Excellent for use on carpets, floors, garbage containers, disposal units, closets, dirty-linen baskets, animal cages and kennels. Fresh cherry scent. |
| 715C | |
| 715D | |
| | <p>General Use: Spray or pour directly onto or around odor.</p> <p>Carpets: Add 2 ounces of product to shampoo solution to control musty odors.</p> <p>Hospitals/Nursing Homes: Apply directly to bedpans or urinals to control foul organic odors.</p> <p>Floors: Add 1 ounce of product for each gallon of rinse water to freshen air.</p> <p>Hotels/Motels: Apply around beds, carpet corners, toilets and in the corners of main lobby to freshen air.</p> <p>Garbage Receptacles: Dilute 1 part product to 3 parts water and apply directly into and around receptacle.</p> <p style="text-align: center;">For strong odors use full strength.</p> |

| | |
|-------------|---|
| | <u>RX 75</u> |
| 716A | The ready-to-use liquid is designed as a general non-acid cleaner and disinfectant for use in homes, hospitals, schools, office buildings and other facilities to control the hazard of cross contamination. It is formulated to disinfect a wide variety of hard, non-porous, inanimate surfaces like floors, walls and countertops. It also deodorizes areas that are generally hard to keep fresh smelling, like garbage cans, basements and restrooms. RX 75 now has a one minute dwell time associated with SARS-CoV-2 |

| | |
|-------------|---|
| | <u>HALF THE TIME - WAX STRIPPER</u> |
| 717C | As it's name indicates, Half the Time allows one to stop and prepare floors for floor finish in one half the time required with other strippers. Its actually better than less effective products on modern floors because it strips so fast and so thoroughly, thus eliminating the need for scrubbing and re-wetting to remove oxidized build-up. Floors are ruined by water getting under the tiles. Half the Time is not for rubber or linoleum floors. Half the Time not only penetrates and softens old floor finish, it emulsifies and liquefies the old finish, and very seldom requires a machine to break the finish loose from the floor. Mix 1 part Half the Time with 4 parts water. |
| 717D | |

| | |
|-------------|--|
| | <u>HEAVY-DUTY ACRYLIC FLOOR SEAL</u> |
| 718D | Undercoater & Sealer for resilient floors, terrazzo and concrete. This acrylic seal is formulated to penetrate and prepare old and new floors for floor finish or wax. May be used on all types of resilient tile, concrete, wood, terrazzo and marble flooring. Will not yellow or powder. |
| | <p>Directions: Strip all floors of old wax or factory finish removing all heavy wax build-ups; i.e., baseboards and corners. Rinse floor thoroughly with water and allow to dry. Apply seal in a thin, even coat using a clean mop or applicator. Two coats are recommended for optimum results. Allow 30 minutes drying time between sealer coats. Allow 1 hour drying time before applying floor finish or wax.</p> |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|------|---|
| | <u>25 GRAND - Double Solids, Heavy Traffic Floor Finish</u> |
| 719C | A high solids, metal interlock combination floor sealer and long-lasting, clear, acrylic floor finish. Easy to apply with no drag. Levels beautifully and dries to that much desired wet look. High solids is the quick answer to building the necessary tough foundation for spray buff floor maintenance. May be used on vinyl, VAT, VCT, linoleum, marble, terrazzo, concrete, brick, flagstone, epoxy and other resilient and non resilient floors. May be applied over other hard, non-wax floor finishes if they are clean and in good condition, but for best results we suggest stripping with our companion stripper. Then rinse thoroughly and allow floor to dry. Dust and damp mopping will keep floors bright and shiny. This finish is an excellent base for spray buffing. |
| 719D | |

| | |
|------|---|
| | <u>ALL-PURPOSE CITRUS DEGREASER</u> |
| 720C | Emulsifiable in water, non-petroleum base and non-caustic. Effectively removes graffiti, ink, paint, tar and asphalt, grease, oil, creosote, resin, blood stains, chewing gum, multi-purpose adhesives and adhesive residue. For use on cement, concrete, brick, metal, aluminum, ceramic tile, porcelain, plexiglas, most plastics, wood, wall paper, carpeting and fabric. |
| 720D | |
| 720E | |
| 720G | |
| | <p>Directions: Do not use full strength when cleaning painted surfaces, carpeting or fabric. Use a small amount of diluted cleaner in an inconspicuous place to test colorfastness. Experience with this product should determine the best results.</p> <p>Heavy Deposits: Apply full strength or mix 1 part product with 1 part water. Allow solution to set for 3 to 5 minutes. Agitate if necessary. Rinse with potable water. Wipe or allow to air dry.</p> <p>Medium Deposits: Mix 1 part product with 4 to 10 parts water depending on soil conditions. Allow solution to set for 3 to 5 minutes. Agitate if necessary. Rinse with potable water. Wipe or air dry.</p> <p>Light Deposits: Mix 1 part product with up to 40 parts water. Allow solution to set for 3 to 5 minutes. Agitate if necessary. Rinse with potable water. Wipe or allow to air dry.</p> |

| | |
|------|---|
| | <u>ENVIRO-TERRA CONCENTRATE</u> |
| 721A | This liquid multipurpose cleaner generates the heavy duty cleaning power of an acid, yet it is safe and mild like liquid dish soap. Its remarkable formula contains a special blend of surfactants, organic salts and proprietary additives to create an acid-replacement cleaner that is environmentally safe and biodegradable. Use at full strength or dilute with up to 25 parts of water. Spray on or use with a foamer. Rinse thoroughly with water. Effective against rust, calcium and scale, soap scum, stains and soils, lime, mold & mildew stains, beer stone/milk stone and scuff marks. |
| 721C | |

| | |
|------|---|
| | <u>LNZ 36 - LIQUID ENZYME</u> |
| 722A | ORGANIC ODOR, STAIN & WASTE ELIMINATOR - A blend of bacteria, enzymes, surfactants and deodorants that digest, liquify and clean organic waste, paper, grease, fat and other wastes from drains, pipes and grease traps. Restores normal biological activity to septic tanks and sewage treatment plants. Also effective for odor control and as a spotter. |
| 722C | |
| 722D | |
| 722E | |
| 722G | |
| | <p>Drains, Traps and Septic Tanks: Pour 4 to 8 ounces directly into floor or sink drains, twice per week. For grease traps, 20 cubic feet capacity, pour 8 ounces into drain daily. Time application for when drains are least used. For septic tanks, use 16 ounces for initial treatment then 8 ounces per week thereafter.</p> <p>Restrooms and Urinals: Mix product with 1 to 2 parts warm water. Spray, mop or wipe onto surface to be cleaned. Agitate, if necessary. Reapply mixture and allow surface to remain moist for at least 15 mins.</p> <p>Laundry Prespotter: Apply full strength to soiled areas prior to washing.</p> <p>Carpets and Upholstery: For normal stains and odors, mix 1 part product with 2 parts warm water. For severe stains and odors, mix 1 part product with 1 part warm water. Spray, mop or wipe onto surface to be cleaned. Agitation may be necessary to remove severe stains. For deep penetration of carpets and upholstery, apply with hypodermic type applicator.</p> <p>Note: Remember to test carpet and fabric for colorfastness. Surface must remain moist for product to work properly. Use any mixed solution within 12 hours or it will become ineffective.</p> <p>Note: Do not subject product to extremely hot or boiling water, disinfectants or chlorinated dishwashing products.</p> |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|------|---|
| | <u>FILM FYTER - VEHICLE WASH</u> |
| 723C | An outstanding all-purpose concentrated, medium foaming non-butyl based cleaner and degreaser. Great for removing road film, dirt and grease from a wide variety of vehicles and surfaces. Use for Truck Washing, Presoak, Concrete Floor Cleaner, Fleet Cleaning, Food Plants, Construction Equipment, House Washing, Degreasing and Self Serve Car Washes. Light cleaning - 1/60 Dilution, Medium cleaning - 1/40 Dilution, Heavy cleaning - 1/25 Dilution. Some cleaning jobs can be done as high as 1/128. Biodegradable. |
| 723D | |

| | |
|------|--|
| | <u>ORANGE SQUIRT - CITRUS ALL PURPOSE CLEANER / DEGREASER</u> |
| 724A | A very versatile cleaner and degreaser that's safe for almost any surface. It contains 1.5% of the natural citrus extract d'limonene, so it effectively removes grease and grime, yet it's non-toxic and completely safe to the environment. A ready-to-use product, just spray onto surfaces and wipe away – no rinsing is required. It's also effective at removing stains from fabrics and upholstery. Biodegradable. Authorized NSF C1: Cleaning compounds for all surfaces in indelible processing area, non-processing areas and exterior areas. |

| | |
|------|---|
| | <u>WINTERWASH</u> |
| 725C | Just mop with WINTERWASH and your floors can be as beautiful in the winter as they are in the summer. WINTERWASH will eliminate the white film from ice melt chemicals that are deposited at entrance ways and can be tracked over other flooring and carpeting. Easy to use: Just mop on and mop off. No need for scrubbing. Works like magic in one application. Reduces slip hazards: Wet floors are more slippery... And floors covered with ice melt film stay wet longer because the compounds are hygroscopic and hold water. For routine use add one ounce per gallon of rinse water and for heavy film use two ounces. |

| | |
|------|---|
| | <u>CONCRETE CLEANER</u> |
| 727C | For all types of resilient and concrete floors. |
| 727D | For Indoor and Outdoor Concrete: Use 1 part cleaner to 2 parts hot water. For Wax Removal: Use 1 part cleaner to 20 parts hot water. For Commercial and Industrial Floors: Use 1 part cleaner to 40 parts hot water. For Normal Cleaning: Use 1 part cleaner to 60 parts hot water. For Daily Light Cleaning: Use 1 part cleaner to 100 parts hot water. |

| | |
|------|---|
| | <u>CUTTING & TAPPING FLUID</u> |
| 728C | Waterbased, rust and corrosion inhibited. Easily washes away. Lubricating and cooling barrier reduces surface temperature up to 50%. Tools run smoother, last longer and work safer. Lath Operations: Dilute 1 part product to 20 parts water. Grinding or Milling Operations: Dilute 1:30 parts water. Drilling Operations: Dilute 1 part product to 25 parts water. Spray Mist: Dilute 1 part product to 30 parts water. With Pale Oil: Threading, Broaching, Tapping or Automatic Screw Machines - Use 15 parts product to one part pale oil. Note: Exact dilution will best be determined by the type of metal, speed of machine and nature of job to be performed. |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|-------------|---|
| | <u>PRESSURE WASHER CLEANER</u> |
| 729C | Excellent for use in steam jennies, pressure washers, automatic scrubbers or manual operations. A highly alkaline detergent that quickly penetrates heavy oils, and caked-on grease, sludge and other extreme soil conditions. Formulated to prevent lime build-up in coils or steam cleaning equipment. This product may be used with steam jennies or pressure washers. Place the concentrated liquid in the machines dispensing container. Most cleaning jobs can easily be accomplished with a 40:1 dilution ratio. If extremely soiled set dilution at 1:25. For cleaning concrete floors, wet area thoroughly with water and apply undiluted product on floor. Let stand for 10 minutes, agitate with brush if necessary. Rinse thoroughly. |
| 729D | |
| | |
| | <u>FIBER FRED</u> |
| 730C | Fiber Fred multi-purpose carpet cleaner is a unique product formulated for commercial carpet cleaning that does the work ordinarily requiring several products. It combines modern surfactants and water miscible solvents for the optimum in it's ability to penetrate, suspend and remove imbedded dirt, greasy, and oily soil. Fiber Fred by itself can replace spotters, pre-sprays, mop on cleaners, extraction cleaners and bonnet cleaners, while also doing a better job. |
| | <u>ORANGE POWER</u> |
| 731A | A non-butyl all-purpose cleaner and degreaser specially formulated to instantly dissolve grease, oil and dirt and hold them in suspension for complete rinsing. Leaves a thoroughly clean surface free of residual grease or oily films. |
| 731C | |
| 731D | |
| | Directions: Apply diluted product with a mop, brush, sponge or spray bottle. Excellent for use in automatic scrubbers and pressure-washer cleaners. For light cleaning use 1:128 (1 oz. per gallon), for general cleaning use 1:64 (2 oz. per gallon), for heavy cleaning use 1:32 (4 oz. per gallon) and for extra heavy cleaning tasks use 1:16 (8 oz. per gallon of water). |
| | <u>TILE & GROUT CLEANER</u> |
| 732C | A selected chemical compound formulated for safe and efficient cleaning of tile and grout without harsh abrasives. This concentrated blend of acids and degreasers tackles the toughest tile and grout cleaning jobs. Removes soap scum, body oils and mineral deposits from shower stalls, restroom floors and tile. Safe for use on ceramic or plastic tile, porcelains, chrome and stainless steel. Not for use on marble, non-ferrous metals, baked enamel or painted surfaces. Directions: Apply product with foam type sprayer, sponge or mop. Allow 3 to 5 minutes to penetrate and loosen soil. Agitate grout with stiff-bristle brush. Always rinse thoroughly with water. Heavily soiled areas may require a second application. |
| | <u>ACID DETERGENT DELIMER</u> |
| 733C | This acid-based detergent chemically dissolves calcium and other hard-water build-ups. Excellent for deliming steam tables and coffee urns. Will not harm stainless steel when used as directed. For dish machines and other washing machines use 4 oz. per gallon of water, fill system with water, add product and run machine until lime deposits are gone. Drain system and rinse with potable water. For steam tables use full strength, wipe onto inside surface, let soak for 5-10 minutes and scrape off remaining deposits. Drain and rinse with potable water. For coffee urns use 2 oz. per gallon of water, fill with hot water solution, heat for 15 minutes, drain and rinse with potable water. For stainless steel, aluminum, tile, cement, glass or plastic use 2 oz. per gallon of water. Using a warm-water solution, wipe surfaces and rinse with potable water. Wipe dry. Heavy deposits may require 4 oz. per gallon. Aluminum may be soaked until bright. May be used in utensil-washing machines adding to pre-wash cycle. For toilets and urinals use full strength. Pour 4 oz. into bowl or urinal. Cleans and deodorizes. Eliminates rust, scale and stains. |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|--------------|--|
| | <u>INTERNAL COIL CLEANER</u> |
| 735C | Lime, scale and rust remover. Dissolves mineral deposits and rust in water systems, heating equipment and air conditioning equipment. Can be used in hot water coils, gas hot water heaters, cooling towers, condensers, heat exchanges, boilers, unit heaters, toilet bowls, urinals and for concrete and plaster removal. |
| | <u>OVEN CLEANER</u> |
| 736C | For the removal of carbon deposits, grease and baked on foods from kitchen and food processing cooking equipment. Just an ounce or two is enough to make cooking equipment look practically new. This one product cleans ovens, grills, griddles, burners, deep fat fryers, rotisseries, waffle irons, canopies, ventilating hoods, etc. |
| | <u>CREAMEDIC - Premium Hand, Bath & Body Soap</u> |
| 737C | Creamedic hand & bath soap is more than just the highest quality soap. It is made from rich lathering coconut oil and natural glycerin which is very gentle to the skin. In addition, CREAMEDIC contains PCMX, which is a proven anti-microbial agent. In every respect, this is the finest quality liquid hand & bath soap available, whether chosen for its hygienic effectiveness, or just because it is so nice to use. |
| | <u>VACATE - Non-Selective Herbicide With Yearlong Residual Control</u> |
| 738C 738D | This is a specially formulated, non-selective herbicide that offers total kill control over a wide variety of annual and perennial weeds and grasses. It also offers residual action, making it the perfect herbicide for long-lasting weed control or as a semisoil sterilant. Apply one gallon per 1000 square feet (43.5 gallons per acre) of undiluted weed killer after the most predominate weeds have emerged. VOC Compliant. Recommended for use only on non-cropland area. Highly recommended for municipal weed control. |
| | <u>CLEAR ATTRACTIONS - DUST MOP TREATMENT</u> |
| 739C | This special water-based dust mop treatment traps dust and dirt in mop fibers to speed dusting operations and prevent damage to the floor's finish. Its advanced formula is oil-free, non-toxic and non-flammable, so it's safe and easy to use. It won't leave behind a slippery residue on the floor, and can be easily removed from the mop fibers through conventional laundering methods. |
| | <u>CREAM SCOURING COMPOUND</u> |
| 740A | Deep cleaning action leaves hard surfaces clean and bright. Bleaches and polishes as it cleans. Controls odors. No harsh abrasives or acids. This penetrating liquid scouring and polishing compound quickly and easily removes soil, stubborn stains, grease, soap scum, heel and scuff marks from a variety of surfaces such as porcelain, ceramic tile, stainless steel, bathroom tile, sinks, enamel, pots and pans, chrome fixtures, metal hardware, woodwork, whitewall tires and all other hard surfaces including fiberglass. Thick clinging action stays put on all surfaces, reducing waste. Thoroughly cleans without scratching or leaving a slippery film. Directions: Shake well before using. Apply directly to surface or squeeze on to damp cloth or sponge. Wipe off loosened soil with clean dampened cloth or sponge. For heavily imbedded soil scrub with brush or abrasive pad. Rinse thoroughly with clean water. |

DELTA PRODUCTS

CLEANING CHEMICALS

CLEANING CHEMICALS

| Code | Description / Directions |
|------|---|
| | <u>SPRAY NINE® - Cleaner/Disinfectant</u> |
| 741A | The most versatile tool in your cleaning arsenal! Spray Nine's professional-strength cleaning power has been trusted by millions of professionals and consumers for over 50 years. Spray Nine works hard to remove all types of dirt, grease, grime and stains. One Product, NINE Uses! Cleans, Degreases, Disinfects against viruses in 30 seconds, Disinfect against bacteria in 45 seconds, Sanitizes in 10 seconds, Kills fungus in 3 minutes, Deodorizes, Controls mold & mildew and Removes stains. |
| 741C | |

| | |
|------|--|
| | <u>TOTAL GREEN NEUTRA-KLEEN - Neutral Disinfectant Cleaner</u> |
| 744C | This multi-purpose disinfectant cleans and deodorizes with a neutral pH on a wide range of materials and surfaces that would otherwise be damaged by disinfectants with higher alkaline or acidic content. This powerful concentrate is an effective virucide, fungicide, and bactericide designed for use on hard, nonporous, inanimate surfaces. Total Green Neutra-Kleen Disinfectant Cleaner is effective against HIV-1 and herpes type 1 and type 2 viruses and controls the formation and spread of mold and mildew. Pre-clean surface, dilute 2 ounces of product per gallon of water. Leave surfaces wet for 10 minutes to disinfect. Effective against Bacteria, Viruses, Fungi and Active as a Mildewstat. |

| Code | Description / Directions |
|------|--|
| | <u>NEUTRAL CLEANER</u> |
| 746C | NO-RINSE. Restores and Maintains High-Gloss Floor Finish. A synthetic neutral detergent formulated to complement super high gloss floor finishes. It thoroughly wets, emulsifies and suspends soil from floor without harming the gloss of the finish. Excellent for use in automatic scrubbers. No rinsing required. Directions: For daily cleaning mix 1 part to 40 parts cool water (3 oz. per gallon). For heavy duty cleaning mix 1 part to 20 parts cool water (6 oz. per gallon). Apply solution to surface with mop or scrubbing machine. Allow to remain on surface for 5 minutes. Pickup dirty solution with a squeegee and pickup pan, vacuum or mop. Rinsing is not necessary. Pleasantly scented. |

| | |
|------|--|
| | <u>HIGH GLOSS FLOOR FINISH</u> |
| 747D | A super high gloss floor finish that gives a deep, mirror-like gloss to all floors. Its ease of application, durability, repairability, detergent resistance and anti-slip properties are superior to all conventional floor finishes. Gives outstanding results on vinyl, vinyl asbestos, asphalt tile, rubber, linoleum, concrete, terrazzo and sealed or painted wood surfaces. Preparation: Strip floor surface to remove floor finish or wax with emphasis along baseboards, corners and heavy build-up areas. Rinse floor thoroughly with clean water. Allow to dry. Application: For best results, stripped floors should have 2 coats of an acrylic floor seal prior to application of finish. Using a clean mop or applicator, apply a thin uniform coat of floor finish. Allow 1/2 hour drying time between coats. Apply 3 to 4 coats for optimum appearance and wear. Maintenance: Damp mop or sweep daily, or as frequently as necessary to keep the surface free of dirt and extraneous matter. When recoating, clean with a neutral detergent solution followed by a clean water rinse. Automatic scrubber may be used for one-pass cleaning. Apply 1 to 2 coats of floor finish as outlined above. Burnishing: Clean floor thoroughly using maintenance procedure. Burnish with high speed machine (1000-3000 RPM). Dust mopping after burnishing is recommended. |

DELTA PRODUCTS

CLEANING CHEMICALS

| | |
|-------------|---|
| | <u>GOLDEN POT & PAN - Dishwash Detergent</u> |
| 748C | A premium grade concentrated liquid dishwash detergent. Fresh citrus scent and golden amber in color. Exceptionally mild to the hands but effortlessly cleans the greasiest dishes and glassware. Dishes, glassware, utensils, pots and pans shine with sparkling cleanliness and dry without spotting. Add 1/2 oz. of dishwashing liquid to 1 to 2 gallons of water in wash basins or sink. Wash dishes as usual and wipe or drain dry. For exceptionally greasy dishes, a small addition may be used. |

| | |
|-------------|---|
| | <u>UNICIDE 128</u> |
| 749A | Non-alkaline germicidal detergent, HBV & HIV effective. The dilution ratio is 1:128 (1 oz. per gallon of water). |
| 749B | A hospital-grade, hard water, serum-effective quaternary germicidal detergent incorporating a unique non-alkaline detergent system blended with four quat chains. Effective against HIV-1, HBV, and a broad spectrum of pathogenic organisms. Complies with OSHA blood borne standard. Because of its acidic base, it is very effective in cutting alkaline build-ups such as soap scum and hard water deposits. It is also milder to the skin and less damaging to floors because of the low pH. EPA registered. |
| 749C | Application: A one-product system of sanitation. Unicide 128 may be used as a glass cleaner, bowl cleaner, bright work cleaner, cleanser, lime and soap scum remover. It may be used on floors, walls, painted surfaces, and all washable, hard, non-porous surfaces. One product, at one dilution rate makes it easier to train personnel, less to order, and less to inventory. Using Unicide 128 gives you the confidence that everything you've cleaned is also disinfected and deodorized. |

| Code | Description / Directions |
|-------------|---|
| | <u>SAFETY FIRST ARP-424 - Aircraft Cleaner and Degreaser</u> |
| 750C | This highly concentrated industrial liquid degreaser was specifically formulated for heavy-duty cleaning of airplanes and airplane parts. It features a non-flammable and non-toxic formula that contains no butyl or petroleum solvents, so it's great at cleaning everything from turbines to landing gears. Plus, it's safe for rubber seals, valves and O-rings and meets ARP 1755A regulations. Non-polluting and biodegradable. Rinses film-free. Safe for hot or cold use and will not harm decals or paint. Experiment with this product before establishing a procedure. Generally one part concentrate with 20 parts water is recommended. Effective against grease and oil, carbon, grime, heavy exhaust, tire marks, rust, scale and heavy smoke. |

| | |
|-------------|---|
| | <u>d'BUG - NON-TOXIC INSECTICIDE</u> |
| 751A | d'BUG is an all-natural, non-toxic, d'Limonene-based insecticide that is EPA approved and safe enough to use around children, pets and in food areas. Made with the all-natural ingredient d-Limonene, this liquid insecticide is non-toxic and safe to use around humans, animals and food. The d-Limonene instantly strips away the protective wax coating from the exoskeletons of insects, causing them to suffocate and die on contact. It can also be used as a residual insecticide that works for several weeks after application. Use on schools, daycare centers, restaurants, kitchens and food processing plants. Effective against ants, fleas, silverfish, roaches and palmettos. |

CLEANING CHEMICALS

| | |
|-------------|---|
| | <u>HYGIENIC ONE-STEP</u> |
| 752A | NON-ACID BOWL & BATHROOM CLEANER |
| | <p>A multi-purpose, hygienic detergent which cleans and deodorizes in one labor saving step. Recommended for use in hospitals, nursing homes, schools, colleges, medical clinics, dental offices, office buildings, hotels, motels and veterinary clinics. Cleans and deodorizes floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring, lavatory fixtures, plastic surfaces (such as polypropylene, polystyrene, etc.) and other hard, non-porous surfaces.</p> <p>Directions: Remove heavy soil deposits from surface. Then thoroughly wet surface with a solution of 4 oz. (1/2 cup) of the concentrate per gallon of water. The solution can be applied with a cloth, mop, sponge or coarse sprayer, or by soaking. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or more often if the solution becomes overly diluted or visibly soiled. For toilet bowls apply diluted solution around the bowl and up under the rim. First remove or expel over the inner trap the residual bowl water. Pour in 3 oz. of the diluted solution. Swab the bowl completely using a scrub brush or mop, making sure to get under the rim. Let stand for 10 minutes or overnight, then flush. Stubborn stains may require brushing.</p> |

| | |
|-------------|--|
| | <u>TUTTI FRUITI ODOR SUPPRESSANT</u> |
| 753A | <p>Eliminates repulsive malodors fast, water soluble, non-staining and non-oily. Eliminates odors, enhances the cleaning power of water-based solutions and freshens the entire room with that "just cleaned" aroma. Synergized surfactants enhance cleaning and disinfecting solutions while natural odor counteractants neutralize and eliminate malodors. Use in hospitals, nursing homes, day care facilities, schools, hotels, offices, kennels, restaurants, and health clubs. Eliminates odors associated with pets, spoiled foods, mustiness, fire/smoke, soiled linens, vomit, urine, and many others.</p> <p>Directions: For mop water or cleaning/disinfectant solutions use 1 oz. to 1 gallon of solution. For carpet/rug shampoo use 1/2 oz. to 1 gallon of shampoo. For commercial laundry use 2 oz. to 100 pounds of dry laundry. For humidifiers use 1/2 oz. to 1 gallon of water. For veterinary hospitals use 3 oz. to 1 gallon of water for cleaning cages. For drains use 2 oz. per day and for trigger sprayer bottle use 1/2-1 oz. per 32 oz.</p> |
| 753C | |

| | |
|-------------|---|
| | <u>FREEZER & COLD ROOM CLEANER</u> |
| 754C | <p>A unique combination of superior neutral detergents, penetrants, corrosion inhibitors, coupling aids and emulsifiers in a concentrated nontoxic antifreeze based cleaning material that resists freezing down to -44°F. Neutral detergent base. Environmentally responsible. Fast, efficient cleaning. Costly shutdowns can be avoided. Low odor formula can be used in low ventilated areas. Highly effective, ready to use floor, wall and equipment cleaner for use in all freezer, cold storage and other subfreezer areas. Biodegradable.</p> |

| | |
|-------------|---|
| | <u>REFLECT - SPRAY BUFF</u> |
| 757C | <p>Cleans, Polishes and Restores. Removes imbedded dirt, black marks and stains from floors, and in the same fast, easy operation, deposits a tough, clear, high gloss, "safe to walk on" finish that resists scuffing, black marks and water spotting. EASY TO USE: Management and custodians both like spray buffing with Reflect because it produces outstanding results with little physical effort. BEAUTIFUL FLOORS: Removes soil, fills scratches, leaves a thin protective film without build-up and polishes to a terrific gloss. Completely dry system. No mop and bucket. No water to slip on or to get under and pop tiles. Extends time between recoating. Regular spray buffing with Reflect eliminates the need for periodic coats of finish. Extends need for stripping. Regular spray buffing with Reflect can substantially reduce your cycle of stripping.</p> |

DELTA PRODUCTS

CLEANING CHEMICALS

| | |
|-------------|--|
| | <u>FOAM SPRAY - Heavy Duty Food Process Cleaner</u> |
| 758C | A heavy duty, highly concentrated cleaner. Formulated especially to leave food processing areas sanitary, but where the intricacies of processing equipment requires that much of the cleaning must be done by just spraying, not scrubbing. Petroleum oils and greases are best removed by dissolving with solvents. Animal and vegetable oils are best removed by saponification (by converting them to soap). Foam spray is specially formulated to do just that. Just spray on. It starts immediately to convert and annihilate vegetable oils that can be easily and quickly rinsed down the drain. Foam Spray does the work. Apply a diluted solution and allow to stand a few minutes. In those few minutes, Foam Spray will be penetrating, lifting and saponifying grease and oil and taking the hard work out of the cleaning process. |

| Code | Description / Directions |
|-------------|---|
| | <u>SPOT & STAIN REMOVER</u> |
| 759C | The one ready-to-use spot remover to remove most water-based and oil-based stains. Leaves no sticky residue to attract soil. When used in conjunction with your regular carpet cleaner it provides a professional look of complete cleanliness. Directions: Remove any solid residue, and blot excess liquid. Spray spot remover liberally onto spot. Agitate gently. Allow product to remain for one minute. Blot with paper towel or clean white cloth. Repeat if necessary until stain is removed. Rinse with clean water, and blot dry or extract. Note: Test fabric for color fastness. Always work from the outside to the center of the spot to prevent spreading. Treat spots as soon as possible. Old spots are more difficult to remove. |

| | |
|-------------|---|
| | <u>KILLER CONCENTRATED DEFOAMER</u> |
| 760C | An excellent de-foaming agent for steam-type carpet-cleaning machines or wherever foam buildup occurs. Directions: For steam carpet-cleaning machines and wet-vac systems add 2 oz. to pickup tank. For sewage-treatment plants spray directly on foam until suds are eliminated. |

| | |
|-------------|---|
| | <u>VANQUISH HBV</u> |
| 761C | A one-step cleaner and broad-spectrum disinfectant/virucide/sanitizer/mildewstat that has multiple uses on virtually any hard, non-porous surface. It is EPA approved for use against the Hepatitis B Virus, HIV-1 (the aids virus) and other pathogens found in blood and body fluids. It is also authorized by the USDA for use in meat and poultry plants and other food-processing facilities. It cleans without abrasives, and deodorizes by killing the microorganisms that cause offensive odors. Leaves behind a clean lemon scent. Defeats infectious diseases found on showers, tubs, toilets, counter-tops and work areas. Ideal for use in health care, food preparation and industrial laundering facilities. Formulated for veterinary practice/animal care and animal laboratory disinfection. Effective against bacteria, viruses and fungus. Directions: To clean and disinfect use 2 oz. per gallon of water. To clean and sanitize use 2 oz. per 4 gallons of water. |

| | |
|------------|--|
| | <u>DURAVIEW - PINK LOTION SKIN CLEANER - 2000 ml</u> |
| 762 | Ideal for general-purpose hand cleaning applications. Quick sudsing, clean, fresh scent and attractive clear pink color. Our DuraView system is the first large capacity dispensing system that eliminates the need for bulky, expensive cabinets without sacrificing appearance, security and performance. Available in 2000mL, the DuraView system replaces traditional cabinets by utilizing time-tested sealed bag-in-box dispensing technology in a unique "bag-in-bottle" cartridge and durable dispenser combination. The "bottle" is an attractive smoke colored design that ensures the maximum amount of product is stored in the least amount of space. To conserve additional space, the dispensing tube is shorter and larger in diameter than the traditional 800 mL bag-in-box. The bags are sealed in the PVC "bottle" through a state of the art welding process that creates the completely waterproof cartridge. The cartridge is easily inserted into the dispenser and locks into place. The result is a dynamic dispensing system that provides numerous benefits. |

DELTA PRODUCTS

CLEANING CHEMICALS

| | |
|------------|--|
| | <u>GRIMESOLVER - ORANGE SCRUB NATURAL CITRUS HAND CLEANER - 2000 mL</u> |
| 763 | Formulated to remove grease, oil, paint, ink, carbon and more. Petroleum-free natural citrus solvent base with pumice. |
| | Leaves hands clean and fresh smelling. May be used with or without water. |

| | |
|------------|--|
| | <u>GRIMESOLVER - ANTIBACTERIAL HAND SOAP with 3% TRICLOSAN - 2000 mL</u> |
| 764 | Cleans hands and kills germs without irritating the skin. Unique ingredient also helps neutralize odors to leave hands smelling clean and fresh. Features the superior germ-fighting power of TRICLOSAN - proven in laboratory tests to kill a wide variety of disease causing bacteria, viruses and fungi on contact. |

| | |
|------------|---|
| | <u>GRIMESOLVER - 2000 mL DISPENSER</u> |
| 765 | The DuraView dispenser is black and comes with two-sided tape and screws for mounting. It is sleek and modern looking. In addition to being great looking, the dynamic design creates the ultimate view window, eliminating all guessing about product-type and soap level. It is durable and installation is simple. It provides an exact amount and is easy to use. Simple loading saves time and the appearance is refreshed each time the bag-in-bottle cartridge is replaced. Meets ADA push force requirements for the elderly and disabled. Completely waterproof. |

| | |
|------------|--|
| | <u>ORCHARD SPICE - JELLED AIR FRESHENER - 8 oz.</u> |
| 767 | Truly a technological break-through in air freshening. Spray-A-Jells are as thick as JELL-O in the bottle, but with a little shaking, liquefy to the point they can be sprayed. After a few seconds they once again become jelled and provide a long lasting air freshener until they evaporate entirely. Ideal for use in trash can liners, under sinks, behind commodes or anywhere else long-term air freshening is desired. Packed 18 per case in 8 oz. spray bottles. |

| | |
|------------|--|
| | <u>PLUMERIA - JELLED AIR FRESHENER - 8 oz.</u> |
| 768 | Truly a technological break-through in air freshening. Spray-A-Jells are as thick as JELL-O in the bottle, but with a little shaking, liquefy to the point they can be sprayed. After a few seconds they once again become jelled and provide a long lasting air freshener until they evaporate entirely. Ideal for use in trash can liners, under sinks, behind commodes or anywhere else long-term air freshening is desired. Packed 18 per case in 8 oz. spray bottles. |

| | |
|------------|--|
| | <u>FRESH-N-CLEAN - JELLED AIR FRESHENER - 8 oz.</u> |
| 769 | Truly a technological break-through in air freshening. Spray-A-Jells are as thick as JELL-O in the bottle, but with a little shaking, liquefy to the point they can be sprayed. After a few seconds they once again become jelled and provide a long lasting air freshener until they evaporate entirely. Ideal for use in trash can liners, under sinks, behind commodes or anywhere else long-term air freshening is desired. Packed 18 per case in 8 oz. spray bottles. |

| | |
|-------------|---|
| | <u>SCENT-SATIONAL ODOR ELIMINATOR</u> |
| 770 | Scent-Sational Odor Eliminator does not mask odors but rather truly alters the odor's make-up to both halt and remove unpleasant odors. Scent-Sational Odor Eliminator is especially effective on cigarette and smoke odors making it an ideal product for use in: Offices and Meeting rooms, Hotels and Motels, Locker rooms, Night Clubs and Bars, Automobiles, Trucks, Buses, Boats, Dorm rooms, Cafeterias and Restaurants. Scent-Sational Odor Eliminator is also ideal for Pet Areas, Garbage Receptacles and Cooking odors. Packaged 24 - 8 oz. spray bottles, 12 - quarts or 4 - gallons. |
| 770A | |
| 770C | |

| | |
|-------------|---|
| | <u>PLEXIGLAS CLEANER & POLISH</u> |
| 771A | A synergistic cleaner and polish specially formulated for use on hard surfaces such as Plexiglas, Lexan, Lucite, polycarbonates and other acrylic surfaces. Gently removes dust, grease, finger marks and smoke film without harming protective finishes. Leaves an invisible, protective shield that repels airborne dust. |

DELTA PRODUCTS

CLEANING CHEMICALS

| | |
|-------------|--|
| | <u>WHIRLPOOL - High Strength Emulsion Bowl & Urinal Cleaner</u> |
| 772A | A fast acting cleaner and deodorizer for the entire toilet system. Powerful cleaning action but safe for use on all china or porcelain fixtures. Fully inhibited to be safe on metal parts and when used according to directions, is easy to handle even by an inexperienced housekeeping staff. Use confidently for cleaning and deodorizing toilet bowls, urinals, traps and drains. Dissolves scale and rust, contains no abrasives and is easy to use. |

| Code | Description / Directions |
|-------------|--|
| | <u>CRAZY CHRIS'S CARPER CLEANER</u> |
| 773 | Extraction or Steam Cleaning / Shampoo or Bonnet Cleaning / Spotting and Spill Clean Up / No Sticky Residue |
| 773C | Crazy Chris is outstanding in its ability to remove tenacious soil and is unique in doing so without leaving any sticky, dirt holding residue. It allows you to greatly extend the time between necessary cleanings. Utilizing certain machines, you are able to clean during the day, using low moisture cleaning techniques. It's the sticky residue left by ordinary cleaners that promotes re-soiling. Soil won't stick to Crazy Chris's Cleaner and Crazy Chris's Cleaner won't stick to carpet fibers. SURFACTANT/SOLVENT BLEND - A unique combination for optimum penetration, lifting, suspension, removal of all types of soil...and just better cleaning. Converts to a powder and dries to a friable residue that gradually breaks down to a practically invisible powder. Replaces powders & granules, Crazy Chris's Cleaner eliminates the need for time consuming vacuuming when used in so called dry cleaning. Faster drying - The carpet cleaning machine utilizes the low moisture cleaning system dramatically reducing drying time. No immediate vacuuming - Most carpet cleaning chemicals recommend vacuuming immediately after use. It's a necessity when using "dry" powders, but not with Crazy Chris's Cleaner. Complies with technical requirements - Meets specs for use on stain resistant nylon. Contains no butyl. Meets rigid requirements of California VOC regulations and new OTC guidelines. Contains a proven odor counteractant for immediate and lasting effectiveness. Available in 8 oz. containers packed 24 per case and 4 - 1 gallon containers per case. |

| | |
|-------------|---|
| | <u>SCRUB BUGS</u> |
| 774A | Now, there is a Cream Cleanser that does much more than simple surface cleaning. Scrub Bugs works from an Alkaline base, making it the perfect cleanser for removing Soap Scum. Add to that a mild abrasive to cut through most dirt and grims, plus a very effective Odor Counteractant to eliminate any foul odors in the area, plus the lingering after effects of Enzyme producing Bio-Cultures that enter the drain and digest organic materials that cause malodors and clog drain lines. Put all that together and you have Scrub Bugs - simply the best cream cleanser on the market. Most every other cleanser on the market is an "acid" base, which will not remove soap scum. Scrub Bugs, with it's unique Alkaline base liquefies soap scum, allowing it to be rinsed down the drain. Scrub Bugs also uses a very mild abrasive. which when used with water, can be used on Plexiglas. Scrub Bugs have many daily applications, for showers, sinks, tile, and most other hard surfaces. But when used on Stainless Steel surfaces, such as drinking fountains or hospital therapy tanks, Scrub Bugs really "Shines". Not only does it clean and polish, but the enzyme bio cultures enter the drain and remove odor causing organic materials and promotes free flowing drainage. Scrub Bugs works well as a bowl cleaner for toilets and urinals. No acid, so it is safe for fixtures and people. |

DELTA PRODUCTS

CLEANING CHEMICALS

| Code | Description / Directions |
|-------------|--|
| | <u>GRIMESOLVER GREEN MULTI-TASK CLEANER / 2.5 GALLON</u> |
| 776B | <p>GRIMESOLVER GREEN is clear in color, but is probably the greenest of so called “green” cleaners when it comes to its safety for the health of cleaning personnel, for occupants of the building and for the environment. It meets, and/or exceeds Green Seal GS37 standards and is approved by DfE as to the human health and environmental safety of each ingredient. The formula contains no ingredients considered hazardous or even questionable. And GRIMESOLVER GREEN goes much further than required, by using only surfactants made from coconut oil and corn oil rather than those derived from petroleum as in the great majority of cleaners. It also conserves petroleum and energy by being twice the concentration of competitive products. You not only use less, but there is half as much to ship ... yet another benefit to the environment, where as so many other “green” products are still being packaged in heavy rigid plastic pails. GRIMESOLVER GREEN is a superior cleaner for everything from A to Z. To eliminate waste, the bag in the box has its own built-in spigot. Use it to measure product into a graduated cup. An adapter for the spigot allows quick connection to most dilution dispensing systems. Dilution rate's are starting points and should be varied up or down depending on type and amount of soil. Rinsing is only required on food contact surfaces.</p> |

| | |
|-------------|---|
| | <u>WASH & WAX - Vehicle Wash Cleans, Shines & Protects</u> |
| 777C | A liquid concentrate formulated especially for washing vehicles of all kinds. It is harmless to all modern finishes including |
| 777D | <p>the newest acrylics, lacquers and enamels. Also harmless to chrome, glass and plastics. Wash & Wax “sheets” as it cleans to avoid spotting and it leaves a microscopic protective film that enhances the gloss of any vehicle. Removes sticky oily road film and just plain dirt. Floats away soil to leave surfaces spotless and streak free. SUBSTANTIVE FILM: The Wash & Wax solution contains a wax-like ingredient that attaches to the surface of the vehicle as if magnetized to leave a glossy, protective film. PROTECTS: This magnet-like film protects against salt, rust and the like that would normally affect vehicle finishes. Use 1/2 oz. to 1 oz. to two gallons of water.</p> |

| | |
|-------------|---|
| | <u>EXTINCT INSECTICIDE - R.T.U.</u> |
| 778C | Extinct insecticide is a ready-to-use, broad insecticide for immediate knockdown of many crawling and flying insects. |
| 778D | <p>Ideal for use outdoors and indoors. Contains .5% Permethrin. Ideal for use in Homes, Processing Plants, Kennels, Commercial buildings, Warehouses, Heaters, Offices, Schools, Hotels & Motels, Restaurants, Garages, Locker rooms, on Pets & in Pet areas, on Livestock/Poultry, on Beds and mattresses, and Carpeting and Rugs. Effective against Bedbugs, Adult Mosquitos, Mites, Hornets, Spiders, Ants, Cockroaches, House Flies, Moths, Aphids, Beetles, Ticks, Scorpions, Armyworms, Crickets, Lace Bugs, Silverfish, Exposed Thrips, Leafminers, Sowbugs/Pillbugs, Bees/Wasps, Fleas – Adults and Larvae, Lice/Louse Eggs, Gnats, Cadelles, Firebrats, Meal Worms, Weevils ,Carpet Beetles, Fruit Flies, Millipedes, and many others.</p> |

| | |
|-------------|---|
| | <u>EXTINCT INSECTICIDE - CONCENTRATE</u> |
| 779C | Extinct Concentrate insecticide is a water-dilutable, broad insecticide for immediate knockdown of many crawling and |
| 779D | <p>flying insects. Ideal for use outdoors. Contains 2.50% Permethrin. Ideal for use on Lawns, Shrubs, Fescue, Trees, House Plants, Gardens, Patios, and Picnic Areas. Effective against Ants, Caterpillars, Fleas, Leafminers, Pine Beetles, Chinch Bugs, Flying Moths, Mealybugs, Earwigs, Armyworms, Cicadas, Gnats, Millipedes, Sowbugs/Pillbugs, Bagworms, Crickets, Grasshoppers, Mole Crickets, Spanworms, Beetles, Cutworms, Grubs, Mosquitoes, Spidermites, Black Flies, Deer Ticks, House Flies, Moths, Aphids, and many others.</p> |

DELTA PRODUCTS

| Code | Description / Directions |
|------|--|
| | <u>GEL OVEN & BAR-B-QUE CLEANER</u> |
| 780A | This concentrated gel degreaser is designed to remove carbon deposits, baked-on food and other stubborn soils. The powerful caustic formula softens and loosens tough deposits quickly and easily, without scrubbing or scrapping, allowing you to just wipe the residue away with a sponge or cloth. Plus, it can be used in both hot and cold ovens. Use on ovens, grills, deep fryers, bakeware, bar-b-que grills, smokehouses and food processing equipment. Effective against baked-on grease, encrusted food deposits, carbon and smoke and blackened grime. Thick gel clings without dripping or running. Quickly dissolves grease and tough baked-on food. Safe for kitchen surfaces and appliances. |

| | |
|------|--|
| | <u>SURFACE SANITIZING SPRAY</u> |
| 781A | Surface Sanitizing Spray is designed for use in industrial kitchens, food processing plants and other areas where sanitization of food contact surfaces is of prime importance. This product will sanitize previously cleaned and rinsed, non-porous, food contact surfaces in 60 seconds without requiring a water rinse. Surface Sanitizing Spray is effective against Staphylococcus aureus, Klebsiella pneumoniae, Escherichia coli, Yersinia enterocolitica, Campylobacter jejuni, Salmonella typhi, Shigella dysenteriae and Enterobacter aerogenes when used as directed, and can also be used to sanitize the shells of eggs. It sanitizes hard non-porous surfaces at Restaurants & Food Processing Plants, Schools & Colleges, Sports Complexes & Stadiums and on Food Preparation Equipment, Dishes & Glassware, Coolers & Refrigerators. Ready to use, no mixing required. In just one minute it kills 99.99% of the bacteria that can cause food borne illness. No rinse needed for food contact surfaces. EPA registered and NSF D2 certified. |

| | |
|------|---|
| | <u>TRIPLE THREAT</u> |
| 782C | Triple Threat is a powerful selective concentrated herbicide with no residual. It combines MCPP, 2,4-D and 2,4-DP to provide complete broadleaf weed control. It will not harm desired grasses and turf, making it ideal for golf courses, ornamental turf areas, lawns and parks. 1:50 parts water. It kills a wide variety of broadleaf weeds without harming existing decorative turf or grasses. It also kills poison oak and poison ivy. Complete broadleaf control. |

| | |
|------|--|
| | <u>HYDRO POWER DEGREASER</u> |
| 783C | Hydro Power Concentrate is a powerful concentrated multi-surface cleaner that combines the power of hydrogen peroxide and the degreasing ability of d-Limonene to lift away tough stains and soils from virtually any surface. It is specially formulated with a stable form of hydrogen peroxide at a high pH level, so it remains in an active state for a longer period of time than other "oxygen-based" cleaners. It is also environmentally safe and easy to use. Dilute 1:128 - 1:16 depending on the severity of the stain. Ideal for use on Glass, Carpets, Fabrics, Upholstery, Laundry, Grout, Tile, Plastics, Metal, Kitchens, Appliances, Countertops, Sinks and Showers, Walls and Floors, Bathrooms. Effective against Coffee and Tea, Red Wine Stains, Juice Drinks, Grass Stains, Ink, Blood, Grease, Soda, Pet Stains, and many soils. This powerful cleaner destroys grease and stains and deodorizes as it cleans. It also eliminates hard-to-remove stains and restores original color. |

| | |
|------|---|
| | <u>JETCLEAN - Anti-Resoil Carpet Cleaner</u> |
| 785A | Jetclean Carpet Spotter features the same Crazy Chris's Carpet Cleaner soil resistant technology. Jetclean is for spotting and the quick cleaning of entire carpets and carpet areas that are not so dirty as to require deep cleaning. Jetclean makes it a lot easier and much faster to clean carpets that are only moderately dirty. This one product does spot cleaning and traffic lane cleaning and is a quick, easy cleaner for the entire job. Ready to use, resists resoiling, VOC compliant and meets chemical specifications for use on the latest generation nylon, so as not to affect factory treatment for stain resistance. |

DELTA PRODUCTS

| | |
|------------|--|
| | <u>JETBRUSH SPOTTING KIT</u> |
| 786 | This special kit features the JETBRUSH with a telescoping handle, one quart of JETCLEAN Anti Resoiling Carpet Cleaner with a trigger sprayer and the MICRO MITT, a 100% microfiber mitt designed for fast absorption of large amounts of liquid before they are able to soak into the carpet. Its positive electric charge attracts and holds soil. Also included is a How To Instruction Manual. Step by step process to keeping your carpets clean with one product, no mistakes. We tell you how to treat a new stain and an old stain. With the JETBRUSH KIT you have all the tools you need in one box. |

| | |
|-------------|--|
| | <u>LIQUID LAUNDRY DETERGENT</u> |
| 787C | A blend of nonionic and anionic detergents coupled with oil and grease solubilizing agents, soil suspending agents, foam control agents and fabric whiteners. No need to use any other type detergents or additives, for this is a completely balanced formula. A concentrated, yet completely biodegradable product that dissolves dirt, stains, and greasy soils from your entire wash load. Effective in both hard or soft, hot or cold water. Gentle and safe to use on all fabrics. |

| | |
|------------|---|
| | <u>HEALTH GUARD - ANTIBACTERIAL HAND SOAP</u> |
| 788 | Our most popular antibacterial product. Formulated with .3% Triclosan to be effective against most common microorganisms. Lathers up quickly, moisturizes and deodorizes. Transparent amber appearance with citrus spice fragrance. 8 oz. pump-top container. |

| | |
|------------|--|
| | <u>SANTI-GEL INSTANT HAND SANITIZER</u> |
| 789 | No water needed when using this crystal clear, ethyl alcohol based gel. Kills 99.9% of eight important organisms in 15 seconds or less, plus, the thick formula won't run off hands and doesn't over-dry skin. No dye or fragrance. Helps employees comply with OSHA's Bloodborne Pathogens Standard. Great for hand cleaning when soap and water is not available. E-3 rated. BioPreferred with USDA BioBased content at 96%. 8 oz. pump-top container or 4 oz. flip top. |
| 790 | |

| | |
|------------|---|
| | <u>NOXON 7 - METAL POLISH</u> |
| 791 | Thick formula cleans and shines on a variety of metal surfaces. Gently removes tarnish from seven different types of metal. Can be applied to both outside and indoor appliances, from aluminum patio furniture to keepsake bronze baby shoes. Cleans and shines stainless steel, aluminum, chrome, pewter, brass, bronze, and copper. 12 oz. |

| | |
|------------|---|
| | <u>SCENT-SATIONAL ODOR ELIMANATOR GEL 8oz.</u> |
| 792 | <p>Scent-Sational Gel is a continuous release formulation that provides constant odor elimination. As it evaporates, Scent-Sational Gel releases odor-removing molecules into the air. Ideal for combating persistent odor problems, place canister on a shelf, pan, or wall mount and let natural airflow do the rest. Removes odors continuously, without the need for reapplication.</p> <ul style="list-style-type: none"> • Replace every 15-60 days (depending on size) • Non-toxic, natural active plant oils, plant-based |

| | |
|------------|---|
| | <u>SCENT-SATIONAL ODOR ELIMANATOR GEL 16oz.</u> |
| 793 | <p>Scent-Sational Gel is a continuous release formulation that provides constant odor elimination. As it evaporates, Scent-Sational Gel releases odor-removing molecules into the air. Ideal for combating persistent odor problems, place canister on a shelf, pan, or wall mount and let natural airflow do the rest. Removes odors continuously, without the need for reapplication.</p> <ul style="list-style-type: none"> • Replace every 15-60 days (depending on size) • Non-toxic, natural active plant oils, plant-based |

DELTA PRODUCTS

| | |
|-------------|--|
| | <u>FRESH WAVE LAUNDRY ADDITIVE</u> |
| 794C | Commercial detergents are good at removing dirt and stains, but often fail at removing odors. Add Fresh Wave IAQ Laundry Additive to standard laundry detergent to boost its odor-fighting power. Even the toughest smells—from feces to vomit to mildew and more—can be eliminated. <ul style="list-style-type: none"> Removes Odors From: Soiled linens (urine, feces, vomit, perspiration), Uniforms, Towels, Mop heads, and Mildewy fabrics |

| | |
|----------------------------|--|
| | <u>ARC-HD</u> |
| 796A 796C | Acid replacement cleaner – This product is a true break through concentrated cleaner. With a pH of less than one, this multipurpose cleaner generates the high cleaning power of an acid, yet it is as mild to skin as liquid dish soap. <p>Clean stains, rust, and algae from concrete buildings and walks; removes cement from construction equipment, trucks, pouring forms, structural steel and tools; dissolves hard water buildup, lime, scale, and corrosion in boilers, air conditioners, and refrigeration units, condensers and circulating systems. A proprietary inhibitor package prevents damage to metals, detergents, and wetting agents enhance cleaning actions. It is non-flammable and biodegradable.</p> |

| | |
|-------------|--|
| | <u>STAIN-SORB</u> |
| 797A | Liquid stain absorbent – Stain-Sorb is a unique liquid stain absorbent and remover. It is highly effective against oils, greases, barbeque grill stains, silicone oils from tire dressing and other stains. It is ideal for use on asphalt, concrete, paving stone, pressure treated wood, composite decking, and other surfaces. <p>Easy to apply by pouring, spraying, or brushing onto stained surfaces. Quickly dries to a powder for easy removal. No scrubbing or rinsing necessary.</p> |

| | |
|------------|--|
| | <u>DEMISE – FIRE ANT & INSECT DEHYDRATOR</u> |
| 798 | This powdered insecticide saps the life out of fire ants and other insects by draining them of their moisture. Just sprinkle some powder on or around an ant hills and other entrances, then as soon as they track through it, the active ingredient silicon dioxide immediately begins to “suck” valuable moisture from their bodies. Best of all, if the insects are able to crawl back into the nest, the powder continues to cling to their body and contaminates the rest of the colony. <p>Effective against: cockroaches, ants, earwigs, ticks, bedbugs, centipedes, mites, crickets, dark mealworms, termites, grain mites, hornets, lice, millipedes, scorpions, silverfish, sowbugs, spiders, beetles.</p> |

| | |
|------------------------------|---|
| | <u>ICE PICK LIQUID ICE MELT</u> |
| 1300C 1300D | ICE PICK LIQUID ICE MELT is a fast acting liquid used for ice removal and ice prevention. It leaves no harmful or unsightly film. This product will break up ice and packed snow in less than 20 minutes for easy removal by plow, shovel or broom. <p>ICE PICK LIQUID ICE MELT is safe for all surfaces including concrete, asphalt, glass and metal. For use on driveways, sidewalks, steps, landings & outside entrance ways. Can also be used to remove ice and snow from cars, trucks and other motor vehicle.</p> |

| | |
|--------------|--|
| | <u>ORANGE SCRUB HAND SOAP - GALLONS</u> |
| 1301C | Orange Scrub is a superior, citrus-based hand cleaner with natural pumice and perlite scrubbers. A mineral oil-based solvent, it can be used to clean the toughest of soils including grease, oil, ink, paint and tar. Ideal for use in any industrial setting including automotive repair shops, manufacturing plants, metal working and construction. Pump top gallon. |

DELTA PRODUCTS

| | |
|--------------|---|
| | <u>DB SOLVENT WR-PARTS WASHER</u> |
| 1302C | Water-rinsable industrial degreaser - Developed to safely remove grease, oil, and tar from motor, chassis, tools and parts. Use directly from the container or diluted with water, it works quickly without causing corrosion under normal conditions. Made from a blend of natural and synthetic compounds that combine to produce a remarkably effective product. Natural citrus extracts produce incredible solvency to cut through the most difficult oil, grease and tar deposits. Biodegradable rinse additives suspend grease, grime and soils in water to complete the cleaning/degreasing process. Removes grease, oil and tar from, tools and parts, Works quickly without causing corrosion, Water-rinsable. |

| | |
|--------------|---|
| | <u>CUTTING & TAPPING OIL</u> |
| 1303C | Oil-based coolant & lube- This ready-to-use oil is formulated with a unique blend of lubricants and additives to make it the ideal choice for machining, tapping, boring and thread cutting operations. It readily clings to the cutting bit to provide excellent residual lubrication and rapid heat removal, extending the working life of tools and equipment. It also provides for better workpiece visibility and protects against rust. Use for: Drilling, Cutting, Machining Tools, Milling, Boring, Grinding, Tapping, Threading, Sawing, High-carbon steels, Stainless steel, Hard alloys ** Not recommended for use on copper or aluminum. |

| | |
|--------------|---|
| | <u>ENVIRO-CAUSTIC SMOKE HOUSE CLEANER</u> |
| 1304C | This true breakthrough cleaner & degreaser, with a pH of over 12.5 and caustic formulation, offers the performance of traditional oven, grill, and smokehouse cleaners, but it non-corrosive to skin, odorless, biodegradable, and ships DOT non-hazardous. This foaming formula will stick and cling to vertical and horizontal surfaces, allowing for maximum dwell time and better cleaning. It is extremely effective against grease, fat, oil, dirt, and baked on deposits commonly found on food prep and cooking surfaces. It is ideal for use on ovens,grills, deep fryers, smoke houses, and meat curers. |

| | |
|--------------|---|
| | <u>NO-PAIN DRAIN OPENER</u> |
| 1305A | Safer-Caustic Drain Opener Technology No Pain Drain Opener is a true breakthrough in drain opener technology. This fast-acting product offers the performance of traditional caustic drain openers, but is biodegradable, odorless, and nonflammable. Its high density, thickened formula is heavier than water, so it sinks and clings to the blockage and begins working quickly. Highly effective against obstructions caused by fats, oils, lint and hair. |

| | |
|-------------|--|
| | <u>PEARL PACKS</u> |
| 1306 | Fresh Wave® IAQ pearl packs are natural, non-toxic, and safe to use around people and pets. With them you can effectively remove odor from any indoor environment without using caustic chemicals or scented masking agents. Place one Pearl Pack into any small or confined space to eliminate unwanted odors. Each pack lasts about 30 days. Contains 30 Packs |

| | |
|--------------|--|
| | <u>AIR & SURFACE SPRAY GEL</u> |
| 1307A | Fresh Wave IAQ's Air & Surface Spray Gel is ideal for fast, targeted odor control. It instantly bonds and eliminates odor molecules in the air smells that have penetrated deep into fabrics or resting on surfaces. Spray in areas where the smell is strongest and odors are instantly eliminated. |

DELTA PRODUCTS

| | |
|--------------|--|
| | <u>AIR & SURFACE SPRAY</u> |
| 1308A | Fresh Wave IAQ's Air & Surface Spray is ideal for fast, targeted odor control. It instantly bonds and eliminates odor molecules in the air smells that have penetrated deep into fabrics or resting on surfaces. Spray in areas where the smell is strongest and odors are instantly eliminated. |

| | |
|------------------------------|--|
| | <u>BANISH CONCENTRATE NON-SELECTIVE HERBICIDE</u> |
| 1309C 1309D | 1.2% Bromacil Residual Concentrate |
| | Banish is a water-based, non-selective, total kill herbicide with residual control. It is strong enough to eliminate hard-to-kill weeds, and can be used for customized jobs. By going to work to destroy the plant from the roots up, Banish provides long-term, full-season root kill. |
| | For use at: railroads, highways, fencerows, tank farms, lumber yards, storage areas, and parking lots. |

| | |
|------------------------------|--|
| | <u>SNOW PLOW COATING</u> |
| 1310C 1310D | This coating deposits a thin, slippery layer of silicone that reduces friction on plow blades, shovels and truck beds to provide more efficient plowing. It also protects metal surfaces from rust and corrosion and will not wash off when cleaned after use. |
| | Use on snow plows and other snow removal equipment. |

| | |
|--------------|---|
| | <u>GREEN OX</u> |
| 1311A | GREEN OX is a multi-purpose cleaner with oxygenated peroxide and fortified with high performance solvents and surfactants. This unique blend of oxygen boosted surfactants and cleaners means it will safely clean and degrease the toughest soils. Unlike other peroxide cleaners, it has a neutral pH so it does not leave a streaking residue behind. |
| | Ideal for cleaning countertops, glass, mirrors, sinks, toilets and other hard surfaces. Also, versatile enough to be used on soft surfaces such as carpeting. |

| | |
|--------------|---|
| | <u>STEP UP</u> |
| 1312C | Slip shield traction treatment and floor maintainer. |
| | Simple do-it-yourself safety treatment and cleaner all-in-one. Safely penetrates the floor's natural pores to release slippery film caused by ground-in grease, soap, and mineral deposits. Non-corrosive formula will not harm the surface or grout, containers biodegradable surfactants. (Not recommended for marble surfaces) |

| | |
|--------------|---|
| | <u>TILE TAE KWON DO</u> |
| 1313A | Tile and Grout Cleaner – Cleans without scrubbing. Removes mildew stains and odor on contact. Regular use keeps surfaces clean. It is safe on most natural marble surfaces. (For extra caution, test product on a spare tile or an inconspicuous area.) |
| | Clinging action. |

| | |
|--------------|--|
| | <u>NANO NANO SPOT FREE CAR WASH</u> |
| 1314C | A liquid concentrate especially formulated for washing vehicle finishes. This product forms nano-bubbles to help expedite the washing process. Although tough on dirt, Nano Nano Spot Free Wash is formulated to be mild to all automotive finishes including the new acrylic lacquer enamels. Its unique polymer system makes water sheet on surfaces leaving a brilliant, spot free shine. |
| | Use 1-2oz per gallon of water |

DELTA PRODUCTS

| | |
|------------------------------|--|
| | <u>DRAIN CANE</u> |
| 1315A 1315C | Thickened formula sticks to the walls and underside of drain to provide long lasting cleaning odor elimination. Aromatherapy benefits of peppermint oil have an uplifting, invigorating property that helps to energize and refresh. DRAIN CANE Drain Treatment is perfect for use in any facility that wants to leave a positive impression with a long lasting fresh peppermint fragrance. RTU 3-5oz per application |

| | |
|------------------------------|--|
| | <u>O-COIL RULES</u> |
| 1316A 1316C | For external air conditioning and heating coils. Degreases and cleans instantly. Inhibits corrosion, restores peak efficiency. Rinse off with water under pressure. |

| | |
|--------------|---|
| | <u>NO-TIME D-LIME</u> |
| 1317A | This acid-based detergent chemically dissolves calcium and other hard-water buildups. Excellent for deliming steam tables and coffee urns. Will not harm stainless steel when used as directed. Can use full strength for steam tables or 2oz per gallon of water for cleaning |

| | |
|--------------|---|
| | <u>STOUT – TILE & GROUT CLEANER</u> |
| 1318A | A professional strength concentrate for a faster and more thorough cleaning. Removes scale, lime rust, uric acid crystals, metallic stains, plumbers stone, corrosion, oil, grease, dirt, and causes of malodors. For use on toilet bowls, tile & grout, and urinals. Mix with 2-4 parts water |

| | |
|--------------|---|
| | <u>NEUTRAL ZONE FLOOR CLEANER</u> |
| 1319A | NO-RINSE. Restores and Maintains High-Gloss Floor Finish. A synthetic neutral detergent formulated to complement super high gloss floor finishes. It thoroughly wets, emulsifies and suspends soil from floor without harming the gloss of the finish. Excellent for use in automatic scrubbers. No rinsing required. |

| | |
|--------------|--|
| | <u>ULTRA STRIP FLOOR STRIPPER</u> |
| 1320A | CONCENTRATED ULTRA-POWERFUL PORTION CONTROLLED STRIPPER Dilute 1 part to 4 parts water/ 2 quarts makes 2.5 Gal, Covers 100sq ft, Allow 3-5 mins to set in |

| | |
|------------------------------|---|
| | <u>GRANDIOSO LAVENDER NEUTRAL CLEANER</u> |
| 1321A 1321C | Grandioso is a unique, concentrated, multipurpose cleaner with a generous level of lavender fragrance. Grandioso Concentrated Neutral Lavender Cleaner is made especially for maintaining the super high gloss on floors. It is also a great all-around cleaner for all surfaces not harmed by water. Use 1-4oz per gallon of water for general cleaning/ 2oz per gallon for mopping or scrubbing machines |

| | |
|------------------------------|---|
| | <u>CITRAFRESH ODOR SUPPRESSANT</u> |
| 1322A 1322C | CitraFresh Odor Suppressant is a non-toxic, biodegradable concentrate. It's packed with powerful surfactants and fragrance to help clean and immediately freshen. Effective in a wide range of cleaning applications including: mop water / floor scrubbers / laundry / foggers/ trigger sprayers, etc. Applicable on: Ceramic, fabric, plastic, porcelain, stainless steel, wood. Trigger Sprayer/ Fogger/ Mop Bucket 2-4oz per Gal Laundry- 1oz per load |

DELTA PRODUCTS

| | |
|--------------|---|
| | <u>MINTYFRESH ODOR SUPPRESSANT</u> |
| 1323A | <p>MintFresh Odor Suppressant is a non-toxic, biodegradable concentrate. It's packed with powerful surfactants and fragrance to help clean and immediately freshen.</p> <p>Effective in a wide range of cleaning applications including: mop water / floor scrubbers / laundry / foggers/ trigger sprayers, etc.</p> <p>Applicable on: Ceramic, fabric, plastic, porcelain, stainless steel, wood.</p> <p>Trigger Sprayer/ Fogger/ Mop Bucket 2-4oz per Gal Laundry- 1oz per load</p> |

| | |
|--------------|--|
| | <u>SPRAY N GO</u> |
| 1324A | <p>This product is a one-step hospital-use germicidal cleaner and odor-counteractant designed for general cleaning, disinfecting and deodorizing of hard, non-porous inanimate surfaces. Quickly removes dirt, grime, food residue, blood and other organic matter commonly found in hospitals, in health care facilities and on medical surfaces. It also eliminates odors leaving surfaces smelling clean and fresh. Use where odors are a problem.</p> <p>This product is intended for use in: Hospitals and Health Care Settings, Healthcare Institutions, Animal Holding Areas, Veterinary Waiting Rooms, Veterinary Examination Rooms, Veterinary X-ray Rooms, Veterinary Operating Rooms, Animal Transportation Vehicle, Health Clubs, Gyms and Athletic Facilities. This product will clean and disinfect hard non-porous surfaces of: gym equipment, exercise machines, wrestling mats, gymnastic equipment, bed railings, cabinets, carts, chairs, counters, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles and vanity tops, grocery cart handles, grocery carts, shopping carts, grocery cart child seats, changing tables, cribs, diaper pails, trashcans, garbage cans. Benefits • 99.9% effective in 5 seconds against Staphylococcus aureus (Staph), Klebsiella pneumoniae. • Kills microorganisms on soft surfaces. 30 SECOND DWELL TIME AGAINST SARS-CoV-2</p> <ul style="list-style-type: none"> • Cleans and disinfects hard non-porous surfaces • Cleans tough stains • Hospital use disinfectant cleaner • Eliminates odors leaving surfaces smelling clean and fresh |

| | |
|--------------|--|
| | <u>420 FRESH</u> |
| 1420A | <p>Cannabis Smoke Odor Eliminator - 420 Fresh Smoke & Odor Eliminator super concentrate is fragrance-free and uses patented odor control technology. It does not mask the odor but chemically alters the molecules, eliminating them. Cigarette, vaping, and marijuana smoke can all leave behind residue that is very difficult to remove. 420 Fresh Smoke & Odor Eliminator is perfect for removing odors in hotel rooms, cars, offices, grow rooms, on fabric and curtains etc. RTU</p> |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|---|
| | <u>GLASS CLEANER</u> |
| 800 | This versatile, extra strength product is the ONE product for even the toughest glass cleaning applications. Windows, glass, windshields, mirrors, displays, counters and more are easily cleaned of dirt, grease, oil, smudges, finger prints, lipstick, and other stubborn deposits. The non-ammoniated formula even removes paint overspray, nicotine film and insects when used on vehicles and is even safe on window/windshield tinting film. The advanced chemistry provides professional quality cleaning without streaking, smearing, hazing or leaving behind any residue or film. The special formulation has a pleasant lemon fragrance and a stable foam consistency that breaks quickly and easily when wiped. There is no "pushing around excess foam" yet the optimum economic yield is achieved. 20 ounce can. |

| | |
|-----|---|
| | <u>ALL PURPOSE CLEANER</u> |
| 801 | A high foaming, clinging formulation that instantly attacks and loosens dirt, fingerprints, smudges, etc. from most any hard surface. Works especially well on doors, door frames, walls, ceramic and plastic tile, sinks, tubs, showers, counter tops, table tops and also vinyl, leather and plastic surfaces. All Purpose Cleaner does not contain abrasives therefore it cannot wear off porcelain from bath tubs and wash stands. Clings to vertical surfaces as well as horizontal. Cleans & Polishes. Ammoniated, High Foam. 360° Valve System. Pleasant Mint Fragrance. 20 ounce can. |

| | |
|-----|---|
| | <u>SAFETY SOLVENT</u> |
| 802 | This highly concentrated solvent is designed to remove dirt, grease, oil and grime from metallic and many nonmetallic surfaces without the use of ozone depleters or methylene chloride. Cleaning is quick and simple without the danger of injury to working parts. This solvent is ideally suited for use on electric motors (even while running), electronic equipment, ignition systems, typewriters, computers, generators, power tools, etc. It is nonflammable and nonconductive so it will not short motors, generators, other live electrical equipment, or increase fire hazard. It easily removes grease and tar, adhesive marks, crayon, lipstick, chewing gum, ink, and fresh paint. It is excellent for removing these spots from upholstery, fabric, rugs, clothing, painted surfaces, metals, and other surfaces. Powerful Cleaner/Degreaser Medium Drying Rate. Nonflammable. Non-Ozone Depleting. Non-conducting to 29,000 Volts. 20 ounce can. |

| | |
|-----|--|
| | <u>PENETRATING LUBRICANT</u> |
| 803 | A superior nonflammable, non-ozone depleting lubricant formulated to loosen, clean and lubricate frozen nuts, bolts and moving parts. Excellent for really tough frozen nuts and parts. Gently tap frozen nuts to help penetration. This clear lubricant/penetrant stops and prevents corrosion, thus saving repair and maintenance time. It is ideally suited for refrigeration equipment, automobiles, workshops, etc. Penetrates Faster & Farther - Even on Rust. Lubricates & Cleans Metal Parts, Loosens Nuts & Bolts. Prevents Corrosion & Displaces Moisture. Fortified with P.T.F.E. 20 ounce can. |

| | |
|-----|---|
| | <u>SILICONE LUBRICANT</u> |
| 804 | This thick viscosity, heavy duty silicone (10,000 centistokes) is specially formulated to provide superior all purpose lubrication and protection without the use of ozone depleters or chlorinated solvents. Use this product on moving parts, as a water and weather barrier, as an electrical insulator, and to prevent sticking, squeaking and freezing of doors, windows, locks and assemblies. Safe for use on virtually any surface. High Viscosity, Heavy Duty, Does Not Cause Gumming. Lubricates, Protects. No Chlorinated or Fluorinated Solvents. 16 ounce can. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|---|
| | <u>OVEN & GRILL CLEANER</u> |
| 805 | This heavy duty formula cleans fast in both warm and cold ovens, yet is pleasant and easy to use. Formulated for hard-to-clean institutional ovens and cooking utensils such as pots, pans, french fry baskets, rotisseries, outdoor grills, etc. It also cleans stainless steel to a bright new luster. Do not allow cleaner to remain on asphalt tile or aluminum. Institutional Strength. Caustic Formula. Spray On, Wipe Off. 360 Degree Valve. Nonflammable. 20 ounce can. |

| | |
|-----|---|
| | <u>STAINLESS STEEL CLEANER & POLISH</u> |
| 806 | This product is a water based stainless steel cleaner, formulated to clean and polish all types of stainless steel in one easy operation without leaving a greasy film. This handy aerosol spray comes out in a light foam that will cling to vertical surfaces, soak and penetrate dirt, grease, fingerprints, etc. With a minimum of wiping, the stainless steel surface will have a brilliant shine. Ideal for restaurants, hospitals, elevators, cafeterias, dairies and any type of stainless steel, chrome, architectural aluminum or other shiny metal. Water based, Low Oil Formula. Leaves No Greasy Film. Pleasant Lemon Fragrance. Light Foam Clings to Vertical Surfaces. Excellent on Buffed or Highly Polished Stainless Steel or other metals. 20 ounce can. |

| | |
|-----|--|
| | <u>RUBBERIZED COATING</u> |
| 808 | Effective on metals, wood, roofing materials, tin, concrete, etc. Stays pliable in winter cold. Will not sag, melt or drip in the summer heat. Resists cracking, peeling and abrasion. Provides a super-thick, black, durable and flexible rubberized film. Seals and acoustically reduces unwanted sound and vibration. Protects metal parts against the harmful effects of water, salt, sand and road chemicals. |

| | |
|-----|---|
| | <u>BRAKE & PARTS CLEANER</u> |
| 809 | This powerful solvent blend easily removes fluid, grease and oily contaminants from brake linings and drums. The blasting spray dries quickly and residue free. Not necessary to disassemble brake unit. Useful on linings, disc pads, drums cylinders and springs. Nonflammable and non-ozone depleting. Not recommended for painted or plastic surfaces. VOC restricted regions: CA and NJ. |

| | |
|-----|---|
| | <u>WINTERIZING WAX</u> |
| 810 | Hard, slick coating that protects metal finish. Provides superior lubrication, and reduces drag and sticking of material to metal surfaces. Use on snow removal equipment to reduce salt corrosion and road signs to keep snow from sticking, allowing sign to be read. Also in springtime, spray on undercarriages of grass cutters and mowers to keep grass from sticking to lessen drag. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|--|
| | <u>MOISTURE GUARD</u> |
| 811 | This nonflammable lubricant is a combination of special water displacement compounds, corrosion inhibitors, solvents, non-greasy lubricants, and P.T.F.E. It is used to displace water and moisture from electrical equipment such as contact points and automotive distributors, machinery parts, guns and equipment. This lubricant is used by factories, truck lines, delivery services, transit systems, schools, machine shops, service stations, air lines, air maintenance shops and general industries. Contains no ozone depleters. IMPORTANT: Conforms to Military Specification Mil-C-23411 for corrosion prevention. 4-n-1 Penetrating Oil. Lubricates (Contains P.T.F.E.). Excellent Rust-Buster. Displaces Water. Prevents Corrosion. Nonflammable, Non-Ozone Depleting. 16 ounce can. |
| | <u>CHOKE & CARBURETOR CLEANER</u> |
| 812 | This powerful combination of concentrated solvents is formulated to remove dirt, gum and varnish deposits that tend to build up on the moving and sealing surfaces of engine carburetors, heat valves and automatic chokes. Periodic use on cars, trucks, airplanes, boats, lawnmowers, etc., will keep them clean, fuel efficient and trouble free. It can even be used on running engines. This product is formulated for high performance without the use ozone depleters or chlorinated solvents. Removes varnish and gum, eliminates stalling and rough idling. Contains no lead, phosphorous, silicone or alcohol, will not harm oxygen sensors, catalytic converters or fuel injection systems. Removes Varnish and Gum. Eliminates Stalling and Rough Idling. No Chlorinated or Fluorinated Solvents. No Lead, Phosphorous, Silicone or Alcohol. Will Not Harm Oxygen Sensors, Catalytic Converters or Fuel Injection Systems. 20 ounce can. |
| | <u>BARREN - NON-SELECTIVE HERBICIDE</u> |
| 813 | Barren Aerosol is a powerful non-selective total-kill herbicide with residual. It contains 1.09% 2,4-D and .98% Bromacil for fast top kill and long lasting residual up to 12 months. Inverted trigger ensures accurate application. Ideal for use on cracks and crevices. Designed for use where control of all vegetation is desired. It is also a soil sterilant so it is only recommended for non-cropland areas away from residential/recreational areas. |
| | <u>ANTI-SEIZE COMPOUND - BRUSH TOP CAN</u> |
| 814 | Extreme temperature and pressure grease and sealant with a brush-top applicator. Plates, protects and prevents metal surfaces from seizing at temperatures up to 2100°F. Reduces friction and wear. Water-resistant. Provides for tighter, firmer threaded joints that open easier. Contains copper for superior heat dispersion. Excellent for all industrial maintenance and repair jobs. This product is a grease in a light-weight plastic screw top container with brush-top applicator. |
| | <u>CRT CLEANER</u> |
| 815 | An anti-static cleaner and coating which safely removes fingerprints and smudges from computer display screens. Leaves the surface treated with an invisible dust repellent film. Contains an optical ingredient which fills-in minute scratches eliminating surface distortion and reducing eye fatigue. For use on: Computer CRT Display Terminals, TV Screens, Electronic Game Screens, Radar Screens, Tracking Station Screens and Instrument and Chart Covers. Helps Provide Optimum Resolution. 360° Valve. Sprays in Upright or Inverted Position. Nonflammable. Cleans and Provides Unique Optical Coating. Anti-Static, Anti-Scratch, Anti-Glare. 16 ounce can. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|---|
| | <u>ANTI-STATIC SPRAY</u> |
| 816 | An invisible light spray treatment which helps eliminate static build-up on carpet, upholstery and draperies. Reduces annoying carpet shocks and dust attraction. Non-staining, quick dry formula safe to use on any carpet fiber blend. Non-flammable when dry. Eliminates Static Build-Up. Reduces Shocks and Sparks. Reduces Dust Attraction. Safe on Plastic Surfaces. No Chlorinated Solvents. No Hexane. FOR USE ON: Carpets, Rugs, Mats, Upholstery, Drapes, Electric Equipment, Photo & Printing Equipment, Plastic Seat Covers, Chair Mats, Computer Workstations, Window Blinds, Computer Printers, and more. 16 ounce can. |
| | <u>LEMON FURNITURE POLISH</u> |
| 818 | The ideal polish-cleaner for use on Formica, metal, plastic, and vinyl furniture. Cleans and dusts in one easy operation. Also protects and polishes ceramic, enameled, porcelain and wood surfaces. The polished surface resists finger smudges. A rich blend of silicones, cleaners, lemon oil and lemon essences leaves a clean mirror-like protective finish, plus a pleasant fragrance. Cleans, dusts, protects and polishes in one easy operation. Ideal for use on formica, metal, plastic and vinyl furniture. Leaves a hard, dust-free protective finish. Versatile 360° Valve. Fortified With Lemon Oil. 20 ounce can. |
| | <u>D-SOLVE HD</u> |
| 819 | This citrus scented, multipurpose concentrated degreaser instantly emulsifies grease, oils and fats without the use of harsh acids, caustics/alkalines, petroleum distillates, butyl solvents, chlorinated solvents, or ozone depleters. This dilutable concentrate contains powerful organic biodegradable solvents blended with synergistic ingredients to outperform conventional petroleum solvents and competitive degreasers. Ideal uses for this product include degreasing concrete floors, equipment, trucks, motors, and metal surfaces. This product will remove most resins, adhesives, printing inks, decals, dirt and soil, and most petroleum based substances such as tar, asphalt, grease, oil, and even rubber tire marks. An excellent choice for maintaining drains, grease traps, and other sewer/septic applications as well as for treating dumpsters, trash receptables, sewer plants, garbage trucks, and more. 16 oz. non-aerosol can |
| | <u>WD-40</u> |
| 820 | The WD-40® Smart Straw features a permanently attached straw that raises to provide either a pinpoint stream or a wide spray pattern, especially onto those hard-to-reach places. And, you'll never lose the straw again. 11 oz.can. |
| | <u>CHALKBOARD & WHITEBOARD CLEANER</u> |
| 821 | A medium foam product that clings to vertical surfaces for fast, complete cleaning of all types of chalkboards. One application of this material will brighten the board to give better contrast, easier readability and relief of eyestrain. Completely removes chalk and chalk dust without damage to the board. Give any chalkboard the "like new" look. Cleans – Traps and Removes Dust & Marker Residue. Polishes – Restores Surface to Like New. Enhances – Improves Contrast, Removes "Ghosting". 20 ounce can. |
| | <u>UTILITY CLEANER</u> |
| 823 | A unique formulation of solvents, cleaning chemicals and surfactants that work together to provide a product powerful enough to satisfy most every day cleaning needs, yet mild enough not to damage painted surfaces. One product does it all! Cleans stainless steel, formica, chrome, plexiglass, glass, woodwork, cabinets, vinyl, porcelain and most any other hard surface. Removes grease, fingerprints, dust, floor wax, etc. Ideally suited for the printing industry for cleaning presses, plates, copy cameras, light tables, etc. 20 ounce Can. |

DELTA PRODUCTS

| <u>SPOT REMOVER SOLVENT</u> | |
|------------------------------------|--|
| 824 | A non-flammable product which is ideal for use as a pre-spotter prior to carpet shampooing. Specially formulated to remove nearly every spill or stain. A dependable means for quickly removing stains such as grease, oil, tar, grime, gunk, crayon, shoe polish, lipstick, fresh paint, carbon paper, butter and makeup from carpeting, fabrics, etc. Also removes black heel marks from floors. For Oil Soluble Stains. Solvent Based. Powerful Formula. Non-Ozone Depleting. 20 ounce can. |

| <u>VANDALISM MARK REMOVER</u> | |
|--------------------------------------|---|
| 825 | Special blend of cleaners and solvents formulated to remove stubborn marks such as most spray paints, marking inks, crayons, lipstick, road tar, stencil inks and other solvent and oil based stains from road signs, trucks, restroom walls, public buildings, buses, and most other horizontal and vertical non-porous surfaces. Removes Crayon, Ballpoint Pen Ink, Lipstick and Many Others. 20 ounce can. |

| <u>HEAVY DUTY SPRAY ADHESIVE</u> | |
|---|--|
| 827 | This wide web spray adhesive is one of the highest performance aerosol adhesives available. For both temporary or permanent bonding, this product is ideal for uneven or porous surfaces and weight materials. Waterproof, flexible, transparent, and non-staining, use this product for your toughest adhesive applications with materials such as leather, cardboard, most plastics, polyethylene sheeting and cloth. Contains no chlorinated solvents or ozone depleters. High solids. Wide Web Spray. High Solids. No Chlorinated Solvents. This versatile adhesive may also be used in upholstery shops, auto upholstery, marinas, sheet metal shops, leather shops, foam shops, labeling (cardboard), hotels, motels (carpet and wallpaper repair) and in the specialized industry of asbestos abatement. This product can be successful in any industry where strong permanent or temporary adhesion is applicable. 20 ounce can. |

| Code | Description / Directions |
|--------------------------|---|
| <u>FOAMY LUBE</u> | |
| 828 | Sanitary Lubricant for Food Processing & Handling Equipment. Contains only food grade ingredients. Designed for the food processing industry, its unique foaming action also makes this product ideal for wire pulling. A thick lubricant, this product will hang on vertical surfaces and is also excellent for bicycle and motorcycle chains. This product has a USDA (H1) rating and can be used in areas of incidental food contact. Resists build-up glazing and varnishing, also minimizes lubricant fouls during decorating processes. 16 ounce can. |

| <u>BELT DRESSING</u> | |
|-----------------------------|--|
| 829 | This specially formulated product stops belts from slipping, adds more power, eases strain on bearings and bushings, and stops squealing. This Belt Dressing works particularly well on leather, rubber, canvas, and fabric belts. The results are quick and economical improvements over untreated belts. A next generation formulation, this product is made without chlorinated solvents or ozone depleters. Reduces wear on moving parts. Applications for this product can be found in garment/textile manufacturing, automotive and fleet maintenance, marine, aircraft, and most general industrial maintenance facilities. 16 ounce can. |

| <u>ENGINE DEGREASER</u> | |
|--------------------------------|---|
| 830 | This unique water-based formula combines the cleaning and degreasing strength of solvents, detergents and water into one powerful product that is low in VOC content. Does not contain chlorinated solvents or ozone depleting chemicals. Fast acting and easy rinsing for a clean bright surface. This powerful degreaser is ideal for auto, truck, tractor, marine and lawnmower engines. Removes Grease, Grime, Oils & Dirt. Superior Degreasing Ability. No Ozone Depleters. Non-chlorinated. Fast Rinsing. 20 ounce can. |

DELTA PRODUCTS

| <u>BATTERY CLEANER & PROTECTOR</u> | |
|---|---|
| 832 | This advanced formula serves four applications in a single product - cleans, detects acid, neutralizes acid, and protects against corrosion. As a cleaner, the products foaming action penetrates and emulsifies dirt, grease, and deposits. As a detector, the foamy light red formula turns brilliant blue in the presence of acid. As a neutralizer, additives in the formula increase the pH to a safer level. As a protector, the red film provides a barrier against corrosion and the elements. Excellent for use on batteries, terminals, cables, brackets, and housings for everything including fleets, golf carts, airplanes, boats, tractors, forklifts, construction equipment, floor scrubbers, and more. 16 ounce can. |

| <u>WHITE LITHIUM GREASE</u> | |
|------------------------------------|---|
| 833 | This product is white lithium grease in a convenient, easy-to-use aerosol can. It is an exceptional coating for the prevention of rust and corrosion. In addition, this PTFE fortified, durable, non-staining lubricant provides superior friction reduction between similar or different materials than other competing brands. This product resists melting, wash off, or freezing and does not gum or cake. Use this product on battery terminals, brake cables, distributor caps, latches, hinges, bolts, locks, antennas, equipment, tools, tracks, glides, bearings, rollers, buckles, shackles, winch gears, and other external moving parts or exposed surfaces. This next generation product is formulated without chlorinated solvents or ozone depleters. Lubricates & Reduces Friction. Fortified with PTFE (also known as Teflon). Prevents Rust & Corrosion. Non-chlorinated. No ozone depleters. USDA H1. Clean White Color. 16 ounce can. |

| <u>SLIP SHOT</u> | |
|-------------------------|--|
| 834 | This multi-purpose lubricant sprays out of the can as a thin, penetrating liquid and quickly becomes a thick red grease even capable of clinging to vertical surfaces. Withstands heat to 500° F and resists throw off. Additives provide superior adhesive, cohesive, extreme pressure and cushioning properties. This formula lubricates, prevents oxidation, and prevents rust without the dangers of ozone depleters or chlorinated solvents. Multi-Purpose, Red Grease Lubricant. Penetrates Then Quickly Sets Up. Withstands Heat To 500 F. Resists "Throw Off". No Chlorinated Or Fluorinated Solvents. Water Resistant. Prevents Rust. 16 ounce can. |

| <u>COIL CLEANER FOAM</u> | |
|---------------------------------|---|
| 838 | This high performance product is a heavy duty foam detergent coil cleaner in the convenience of an aerosol can. Nonflammable and water based, it contains no chlorinated solvents or ozone depleters. Equipped with a special 360 degree valve, this product can be sprayed in any position to easily reach into tight areas. The aggressive alkaline detergent blend quickly and easily liquefies dirt, grease, oil, or other residue and deposits. Fortified with corrosion inhibitors to prevent metal degradation, the product will not harm drain pans, plastics, or other materials in and around the area. The clinging foam is completely self-rinsing on condensate producing coils. Simply spray on and condensation generated will wash away the emulsified material. The pleasant lemon fragrance helps leave area not only cleaned but deodorized. It is especially suited for use on most any coils such as window air conditioners, roof top HVAC units, auto radiators, small air cooled equipment, small condenser and evaporator coils, metal filters, fan blades, and more. High Foaming 360° Spray. Heavy Duty Alkaline Detergent Cleaning Power. Self-Rinsing Fast Break Foam. Contains No Ozone Depleters. Nonflammable, Water-Based. Pleasant Lemon Fragrance. 20 ounce can. |

| <u>DRY RELEASE LUBRICANT AND RELEASE AGENT</u> | |
|---|--|
| 839 | A chemically inert, non-oily, fast drying lubricant and release agent containing an extremely fine teflon® powder. Features outstanding microscopic film forming properties, more slippery than silicone. Provides superior friction reduction in all metal on metal, rubber on metal and metal on plastic applications. Has a working temperature range of -100° F to +500° F. Leaves an odorless, stainless coating that is more slippery than silicone, graphite or oil. Fast drying. Excellent for reducing low speed friction. Non-conductive when dry. Contains no chlorinated solvents. Suitable for use in meat & poultry plants and food & food service establishments. 16 ounce can. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| <u>ANTI-SEIZE LUBRICANT</u> | |
|------------------------------------|--|
| 842 | An extreme temperature and pressure lubricant and sealant that plates, protects and prevents metal surfaces from seizing at temperatures up to 2100° F. Reduces friction and wear. Water Resistant. Provides for tighter, firmer threaded joints that open easier. Contains copper for superior heat dispersion. Excellent for all industrial maintenance and repair jobs. Completely non-corrosive and inert to rubber. Effective on a broad group of metals with metal to metal and metal to rubber contact. Prevents seizing, galling, pitting, galvanic action and thread distortion. Sets up quickly. Makes tighter, firmer seals possible. Disassembly is easier due to reduced torque requirements. Will not harden, separate or fuse to metals - even under severe atmospheric or salt spray conditions. 16 ounce can. |

| <u>CUTTING & TAPPING FLUID</u> | |
|---|--|
| 843 | Cutting Fluid formulated for all types of machine shop uses. This high performance coolant/lubricant increases production, protects tools, helps provide quality machine parts. This is a heavy-duty concentrated cutting oil fortified with added active sulfur and an extreme pressure additive. This fluid can be utilized on the most difficult machining operations on the hardest & toughest alloy steels and thread cutting & tapping operations. Because of its high active sulfur content it is not recommended for use on copper or aluminum or where bright finishes are required. Provides excellent rust protection - even on cast iron. Low foaming - Suitable for all types of machinery. Built-in lubricity - provides good lubrication for centerless grinding. Gives residual lubrication on machine tools. Clean running - leaves machine tools clean and free of chips and swarf; grinding wheels remain clean. Contains no nitrites - these often cause freezing of chucks and collets. Rapid heat removal - good wetting ability gives excellent cooling of workpiece. For High Speed Equipment. Protects Tools. Increases Production. Rapid Heat Removal. 16 ounce can. |

| <u>DUST MOP TREATMENT</u> | |
|----------------------------------|--|
| 844 | An economical, easy to use method of dust removal from any surface. Treat dust mops, cloths and soft bristle push brooms with a light, moist spraying of this product. Treated mops and cloths pick up dust just as a magnet picks up iron filings. Dust and dirt is not just pushed around but is held in the mop or cloth until a gentle shake releases it in the disposal area. Dusting with this product cleans and polishes furniture, painted plastic and formica surfaces. When replacing filters on heating and air conditioning systems spray the filters, thus reducing the amount of dust which again becomes airborne. Protects & Polishes. Saves Labor. Versatile 360° Valve. 20 ounce can. |

| Code | Description / Directions |
|--|---|
| <u>ODOR NEUTRALIZING FOGGER</u> | |
| 846C | Deliciously scented, finely atomized, micro-mist total release air freshener that provides complete deodorization of malodors in the air, on surfaces and on fabrics. Does not allow wetting, staining or messy fall-out. Non-chlorinated. V.O.C. compliant. Chemically neutralizes malodors. Dry spray particles. Treats 6000 CU. Ft. 6 oz. For use in locker rooms, hospitals, nursing homes, smoking areas, cars, boats, RVs, motels, restaurants, bathrooms, carpets, upholstery, draperies, and fabrics. Eliminates tobacco smoke, cooking odors, mold, and mildew odors. 846C - Citrus Crème * 846L - Lemon Ice * 846BS - Blue Sky * 846TE - Tropical Escape * 846FL - Fresh Linen |
| 846L | |
| 846BS | |
| 846TE | |
| 846FL | |

DELTA PRODUCTS

50

| | |
|--------------|--|
| | <p style="text-align: center;"><u>SNAPPY APPLE - DRY DEODORIZER - HAND HELD</u></p> |
| 847A | <p>This new and improved product represents yet another evolution in room deodorizers. This breakthrough formulation contains all of the performance one might expect from a dry-type air freshener — but with a twist. Excellent bloom and suspension time, ultra fine particles, no fall out, and no residue for use in textile applications are just some of the attributes. What is truly remarkable about the product is that it achieves the incredibly dry spray without using ozone depleters. In fact, this product contains less than 30% total VOC content! A remarkable spray is not the only exciting thing about this new and improved formulation. The fragrances have been upgraded to ensure superior olfactory notes and tones. But a fantastic fragrance is not the only premium feature you will find. Also included is not one, but two odor counteractants for maximum deodorizing power. The dual system quickly neutralizes malodors with industrial and institutional strength even on smoke, decay, urine, feces, solvent, vomit, cooking, animal and more. Also featured is a new light-touch actuator for effortless pinpoint spray control. When used as directed, this advanced formula will effectively freshen without staining or leaving a residue. Innovative Dry Formula. Ultra Fine Spray-Long Suspension Time. Dual Odor Counteraction System. Low VOC Content - Meets '96 CARB Limit. Non-chlorinated, Non-Ozone Depleting. Light Touch Actuator. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>ALPINE MIST - DRY DEODORIZER - HAND HELD</u></p> |
| 847AM | <p>Same as 847A except with the scent of Alpine Mist. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>BABY POWDER - DRY DEODORIZER - HAND HELD</u></p> |
| 847BP | <p>Same as 847A except with the scent of Baby Powder. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>CITRUS PEEL - DRY DEODORIZER - HAND HELD</u></p> |
| 847C | <p>Same as 847A except with the scent of Citrus Peel. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>CLEAN LINEN - DRY DEODORIZER - HAND HELD</u></p> |
| 847CL | <p>Same as 847A except with the fresh scent of Clean Linen. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>LEMON - DRY DEODORIZER - HAND HELD</u></p> |
| 847L | <p>Same as 847A except with the scent of Lemon. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>MANGO - DRY DEODORIZER - HAND HELD</u></p> |
| 847M | <p>Same as 847A except with the scent of Mango. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>SUMMER BREEZE - DRY DEODORIZER - HAND HELD</u></p> |
| 847SB | <p>Same as 847A except with the scent of a Summer Breeze. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>LEMON - DRY DEODORIZER - HAND HELD</u></p> |
| 847F | <p>Same as 847A except with the scent of Fresh Linen. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>LEMON - DRY DEODORIZER - HAND HELD</u></p> |
| 847V | <p>Same as 847A except with the scent of Vanilla. 20 ounce can.</p> |
| | <p style="text-align: center;"><u>SPRING RAIN - DRY DEODORIZER - HAND HELD</u></p> |
| 847SR | <p>Same as 847A except with the scent of a Spring Rain. 20 ounce can.</p> |

DELTA PRODUCTS

| | |
|------------|--|
| | <u>CITRUS ALL PURPOSE CLEANER</u> |
| 848 | This product is an all organic, biodegradable, all-purpose cleaner and is an excellent emulsified solvent. This high foaming, nonflammable, all purpose cleaner is especially formulated with ingredients that allow it to remain on vertical surfaces and remove dirt, smudges, grease and fingerprints. This special formulation does not contain any chlorinated solvents or petroleum distillates. Powerful natural degreasers and deodorizers are combined to provide quick and effective cleaning on most surfaces and soils. Use to clean and degrease doors, walls, ceramic and plastic tile, floors, bathroom fixtures, and more. All Organic, Biodegradable. Advanced Foam Action. 360° Valve System. Pleasant Orange Scent. 20 ounce can. |

| Code | Description / Directions |
|------------|--|
| | <u>SOLVENT CLEANER & DEGREASER</u> |
| 851 | This highly concentrated all natural, all organic and biodegradable solvent blend easily removes grease, oil and grime from metallic and non-metallic surfaces including most plastics. This formula is ideally suited for cleaning and degreasing machinery, equipment, engines and electric motors without the use of ozone depleters or chlorinated solvents. Dries residue free in only a few minutes or can be blown dry with compressed air. Excellent adhesive remover and removes some graffiti. Contains no petroleum distillates. Non-conductive to 32,000 volts. All Organic and Biodegradable. No Chlorinated or Fluorinated Solvents. No Petroleum Distillates. Excellent Degreasing Power. Non-Conductive to 32,000 Volts. Dries Residue Free. 16 ounce can. |

| | |
|------------|---|
| | <u>AUTOMATIC METERED AEROSOL DISPENSER</u> |
| 860 | This dispenser provides both functional and aesthetic performance. For function, it has both empty can and battery low LED warning lights, 7.5 - 15 - 30 minute interval settings, easy access can door, and keyless lock. It is an "open system" which accommodates most current manufacturers of metered aerosol cans. The dispenser operates for a year or more on two D-Cell batteries and is fully backed by an unconditional five year warranty. For aesthetics, six decorstrips are included for tailoring to interior decors. Hardware for mounting is included. COLOR: Beige/Gray. |

| | |
|------------|---|
| | <u>DRY DEODORIZERS - METERED</u> |
| 861 | This product represents yet another evolution in room deodorizers. This breakthrough formulation contains all of the performance one might expect from a dry-type air freshener -- but with a twist. Excellent bloom and suspension time, ultra fine particles, no fall out and no residues for use in textile applications are just some of the attributes. What is truly remarkable about the product is that it achieves the incredibly dry spray without using ozone depleters. In fact, this product contains less than 30% total VOC content! A remarkable spray is not the only exciting thing about this new and improved formulation. The fragrances have been upgraded to ensure superior olfactory notes and tones. But a fantastic fragrance is not the only premium feature you will find. Also included is not one, but two odor counteractants for maximum deodorizing power. The dual system quickly neutralizes malodors with industrial and institutional strength even on smoke, decay, urine, feces, solvent, vomit, cooking, animal, and more. Also featured is a new, universal, non-proprietary actuator for use in most available time dispense machines including Amrep, Time Mist, Cline-Buckner, Syncro-Mist, Big-D, National Lab, Technical Concepts, Continental, and Q-Mist Machines. The metered valve delivers precise spray volumes in an ultra fine mist to effectively freshen rooms up to 6,000 cubic feet. Innovative Dry Formula. Ultra Fine Spray- Long Suspension. Dual Odor Counteraction System. Low VOC content - Meets CARB Limit. Non-Chlorinated, Non-Ozone Depleting. Nonproprietary Actuator. 12 ounce can. |

| | | | |
|-------|----------------|-------|-------------------|
| 861A | APPLE | 861HB | TROPIC BREEZE |
| 861BE | BERRY | 861L | LEMON |
| 861BP | BABY POWDER | 861LF | LINEN FRESH |
| 861CB | CITRUS BLAST | 861LL | LAVENDAR LEMONADE |
| 861CF | CINNAFRESH | 861M | MANGO |
| 861CH | CHERRY | 861MB | MOUNTAIN BREEZE |
| 861CM | CUCUMBER MELON | 861PL | PINK LILAC |
| 861D | DUTCH APPLE | 861SF | SPRING FLOWERS |
| | | 861V | VANILLA |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------------|--|
| | <u>TOTAL BATHROOM CLEANER</u> |
| 863 | Finally there is a single aerosol designed for use on every bathroom surface . . . from the walls to the stalls! It's like four cleaners all squeezed into one "Do-it-All" can. Eliminates "Fragrance Overkill" by replacing several differently scented cleaners with one Fresh Scent. Safe to use on all surfaces unaffected by water alone, including glass, tile, vinyl, plastic, porcelain, marble, chrome and stainless steel. Gentle enough to leave mirrors sparkling clean, yet is strong enough to keep drain lines free flowing and odor free. Formulated with a special blend of bio-enzymatic bacteria which safely dissolves organic stains and odors. Can sprays in an upright or inverted position. Low V.O.C.'s and non abrasive. Contains natural ingredients that are non-hazardous, non-polluting, non-toxic, non-flammable and biodegradable. Contains no petroleum solvents, no butyl cellosolve, no glycol ethers, no acids, no caustics and no phosphates. 20 ounce can. |

| | |
|------------|--|
| | <u>OPEN GEAR & CHAIN LUBRICANT</u> |
| 864 | A super tough, adhesive type lubricant which penetrates deep into gears, cables and heavy duty mechanisms. Thickens quickly to a tacky, black stringy lube. Provides a Molybdenum Disulfide shield which maintains a cushion of lubricant between gear teeth and other friction-producing surfaces. Absorbs high shock loads, extreme pressure and prevents chipping and scuffing. Forms a protective, water-resistant coating that prevents corrosion in outdoor and even underwater applications. Becomes Tacky Quickly. Non-Acid , Non-Toxic and Non-Corrosive. Unique Dual Spray Valve - Fan or Jet Spray - Up To 8 Feet. Prolongs Gear and Equipment Life. Formulated To Stay Tacky - Will Not Sling Off, Drip, Melt, Dry Out or Build Up Between Gear Teeth. 20 ounce can. |

| | |
|------------|--|
| | <u>TRIPLE THREAT FOAMING SELECTIVE HERBICIDE</u> |
| 865 | Broadleaf weed control in an aerosol. This ready-to-use, selective herbicide kills up to 140 different broadleaf weeds. Since it is an aerosol, it's special foaming action and high intensity actuator allows users to accurately apply the herbicide only onto weeds without harming the surrounding desired ornamental plants and grasses. Foaming spray shows coverage to avoid overapplication. 24 ounce can. |

| | |
|------------|---|
| | <u>FOOD GRADE STAINLESS STEEL CLEANER</u> |
| 866 | An environmental solution to metal cleaning and polishing. Formulated as a light cream consisting totally of food grade ingredients. Removes tough oil-based stains, water marks and spots and stains from all metal surfaces. Odorless cream clings to vertical surfaces and is safe for use in confined areas such as elevators. Perfect for stainless steel surfaces which may contact water. Can be used on wet surfaces, eliminating the need for initial drying as needed by most oil-based stainless steel polishes. Leaves a unique protective coating that resists soiling, but leaves no greasy film. 360° valve allows spraying in an upright or inverted position. Features a water and oil emulsion formula. Cleans, polishes and restores luster. Less than 15% VOC. Non-Flammable. 20 ounce can. |

| | |
|------------|--|
| | <u>FOOD GRADE EQUIPMENT LUBRICANT</u> |
| 867 | A super pure, highest quality food grade oil. Lubricates rings, slides, pistons, seals and other food equipment parts that may have incidental food contact. Provides a thin, water resistant film. Contains no silicones or solvents - only food grade ingredients. No water or fillers. Highly resistant to water washout. Effective from -40° F to +250° F. Lubricates parts to ensure free and easy movement. Helps prevent rust and corrosion. No odor or taste. Authorized by USDA for use in federally inspected meat and poultry plants. Used for fast service food preparation, cut meat cold room packaging in supermarkets, prepackaged meat units for franchise outlets, ice cream filling equipment, milk bottle equipment, meat and poultry companies, dairy, egg operations, and countless other applications. Non-Toxic. 20 ounce can. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|---|
| | <u>HOSPITAL SURFACE DISINFECTANT</u> |
| 868 | Kills germs, bacteria, mold and mildew. This powerful aerosol thoroughly eliminates many harmful viruses and common microorganisms from hard, non-porous surfaces and leaves them clean and disinfected. It can also be used to disinfect porous surfaces like athletic mats, bowling shoes and more. This broad-spectrum disinfectant is effective against staphylococcus aureus, tuberculosis, HIV type 1, athletes foot fungus (trichophyton mentagrophytes), salmonella choleraesuis and herpes type 2. Fast and easy to use. 20 ounce can. |

| | |
|-----|--|
| | <u>FOAMING LEMON SCENTED DISINFECTANT CLEANER</u> |
| 869 | Several potent ingredients give this EPA-registered disinfectant aerosol the power to kill many dangerous germs, bacteria, fungi, and microbes. It's strong formula is effective at preventing cross-contamination, making it an ideal disinfectant for use on all hard, non-porous surfaces. While it cleans and disinfects surfaces, it also leaves behind a scent of lemons to deodorize the entire room. It's effective against staphylococcus aureus, psuedomonas aeruginosa salmonella choleraesuis and HIV type 1. Cleaner, deodorizer, fungicide, mildewstat, disinfectant and virucide. Use at hospitals, nursing homes, schools, hotels and food processing areas. 20 ounce con. |

| | |
|-----|--|
| | <u>BUZZ SAW - WASP & HORNET KILLER</u> |
| 870 | Kills and repels stinging insects. This powerful aerosol features two key ingredients to make it one of the most versatile insecticides available. The first ingredient, Tetramethrin, provides fast knockdown to kill insects on the spot. The other ingredient, Permethrin, offers excellent residual action that creates an invisible barrier on surfaces to keep them from returning. It also features 47,300 volts of dielectric strength, so it's safe to use around electrical equipment, and its "shotgun action" can hit insects and hives up to 20 feet away. Effective against flying wasps, hornets and hornets nests, yellow jackets and bees. Use indoors and outdoors in attics, cracks and crevices, eaves, porches, patios, power lines, window frames and around electrical equipment. 20 ounce can. |

| | |
|-----|--|
| | <u>FIK - FLYING INSECT KILLER</u> |
| 871 | Knocks flying insects out of the air. This aerosol insecticide contains fast-acting Tetramethrin and d-Phenothrin to provide fast knockdown of annoying flying insects in midair. Its low-odor formula can be used when a mild scent is required. Use in non-food areas of commercial buildings, intuitional buildings, industrial buildings and households. Effective against flies, gnats, mosquitoes and small flying moths. Safe to use on pet bedding to eliminate fleas and ticks. 20 ounce can. |

| | |
|-----|---|
| | <u>CIK - CRAWLING INSECT KILLER</u> |
| 872 | Stops insects in their tracks. Formulated with Tetramethrin, this aerosol effectively eliminates crawling insects like roaches, ants, earwigs and many more. The formula also features the ingredient Permethrin to offer long-lasting residual action to keep bugs from coming back again. This potent combination makes it ideal for crack and crevice treatment, as well as behind sinks, in closets and other hard-to-reach areas. Also use on rugs and carpeting, in storage areas, between cushions of furniture, around pipes, under shelves, behind baseboards, in attics, in drawers, around door frames and in windows. Pleasing vanilla scent. Fast acting and keeps killing for up to 3 months. 20 ounce can. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|--|
| | <u>AMAZING CARPET SPOT & STAIN REMOVER</u> |
| 874 | Amazing Carpet Spot & Stain Remover is formulated to quickly penetrate, clean, and remove spots and stains. |
| | Deodorizes as it penetrates and cleans without leaving a residue. Freshens and brightens as it restores nap and texture. Contains dry and wet cleaning solvents and degreasers. Unique inverted spray nozzle for pinpoint accuracy. Use on soft drinks, mud/dirt/soil, ketchup, vomit, cosmetics, pet stains, kool-aid, blood, grease, oil, wine, juice and many others. Pleasant citrus scent. 20 ounce can. |
| | <u>CHAIN & CABLE LUBRICANT</u> |
| 875 | This product is an outstanding, full service, multiple application, chain and cable lubricant. Fortified with both molybdenum disulphide and PTFE, the formula will provide superior lubricity, protection, and longevity. Use this product on chains, cables, wire ropes, sprockets, drive chains, hoist chains, drag chains, and conveyor chains to prevent metal to metal contact and reduce friction, heat, stress, and wear during operation. Very water and acid resistant. In addition, the special aerosol valving system allows for precise control of material delivery with minimal splashing and/or overspray. This next generation product is formulated without chlorinated solvents or ozone depleters. |
| | Multiple Applications, Lubricates & Reduces Friction, Fortified with Moly and PTFE, Non-chlorinated, No ozone Depleters. 16 ounce can. |
| | <u>STONER - TIRE SHINE</u> |
| 876 | Stoner is the fastest and easiest way to make your tires look their best. This long- lasting, spray-on coating makes dull, faded tires look brand new in seconds. Stoner is preferred by professional auto detailers, finicky enthusiasts, car collectors, dealers, and the USA's largest Corvette club! |
| | Stoner is not a messy foam or drippy liquid. This easy-to-use aerosol needs no wiping. Apply 1 coat for a dull satin finish, 2 coats for high gloss. Takes just 15 seconds per tire, won't harm wheels or paint, gives UV protection. The other leading brands don't last because they're made with water and surfactants (soaps) that evaporate and wash off easily with water. Stoner contains no surfactants or water so it lasts longer. It REPELS water and waterborne dirt and won't "brown" tires. Stoner is clear & non-greasy, but not a paint. Lasts weeks on your tires. 20 ounce can. |

DELTA PRODUCTS

AEROSOL SOLUTIONS

| Code | Description / Directions |
|------|--|
| | <u>AIR DUSTER / FREEZE SPRAY</u> |
| 877 | <p>This advanced product used upright is a true high performance duster. The product utilizes the highest purity nonflammable HFC material to create a nonresidue formula that is completely plastics safe and contains no ozone depleters. The blasting spray quickly and easily removes particulate dirt and dust from surfaces including contacts, circuit boards, microcomponents, relays, print heads, televisions and monitors, and CD/DVD devices, and more. It is ideally suited for the maintenance of all electronic or electrical devices in industry from computers and office equipment to industrial machinery and manufacturing equipment but is also excellent for use in optics, arts, and other applications where no-touch precision cleaning is required.</p> <p>ALSO - This product can be used inverted as a Non-flammable Freeze Spray. Use on tables, chairs, floors and other non-porous surfaces to release chewing gum. The refrigerant freezes the gum, releasing adhesions between the gum and the surface. Another excellent application of this product in the inverted configuration is to spot cool electrical components for shrink fitting pins, shafts, bushings, precision chains, and bearings or to prevent over-heating of parts adjacent to soldering or heat testing.</p> <p>NOTE: Could crack ceramics or other surfaces not designed to withstand -45°C (-50°F).</p> <p>Pinpoint Blasting Spray. Nonflammable and Non ozone depleting. Completely plastics safe. High Purity- No Residue. Use on Electronics, Optics and More. 12 ounce can.</p> |

| | |
|-----|--|
| | <u>RX29 - ODOR COUNTERACTANT</u> |
| 879 | <p>This specialty designed odor counteractant eliminates odors at their source. With RX29's unique combination of pinpoint stream, dual-active industrial-strength odor counteractants, and fast-dissipating foam, malodors can run but they can't hide. Effectively neutralizes odors in and along cracks & crevices, carpets, baseboards, floor drains, toilets, sinks, urinals, trashcans, wastebaskets, dumpsters, or virtually any place where organic decay causes foul odors. The non-staining foam identifies where the product has been applied, dissipates rapidly (depending on amount applied), and leaves areas smelling fresh and clean for hours. The inverted spray valve allows for easy application from a standing position as well as access to confined spaces. Dries completely; leaves no sticky residue. 20 ounce can.</p> |

| | |
|-----|--|
| | <u>WINDSHIELD DE-ICER</u> |
| 880 | <p>WINDSHIELD DE-ICER is your quick and easy solution to the winter aggravation of frozen windshields, locks, and wiper blades. Keep a can in your car all winter to help save the time and work of scraping. WINDSHIELD DE-ICER will penetrate ice and snow in minutes, making it easy to just brush away. Will not harm vehicle's paint or finish. 16 ounce can.</p> |

| Code | Description / Directions |
|------|--|
| | <u>BRAKE & PARTS CLEANER EF</u> |
| 881 | <p>This highly concentrated solvent blend provides maximum performance in a brake parts cleaner without the use of ozone depleters or chlorinated solvents. Powerful blasting spray easily removes brake fluid, grease, oily dirt and contaminants from linings, pads and drums, cylinders and springs without disassembling the unit. Also includes extension tubes for hard to reach areas. Will not foul waste oil. Excellent all around metal parts cleaner. This special formulation meets or exceeds the 1/1/97 V.O.C. requirements for California. Contains no lead, phosphorous or silicone. 20 ounce can.</p> |

DELTA PRODUCTS

| <u>Si-DRY SILICONE SPRAY</u> | |
|-------------------------------------|---|
| 882 | An ultra fast drying silicone spray that is formulated specifically for the needs of the textile and food industries. |
| | This medium viscosity formula provides light lubrication of a wide variety of surfaces in textile plants including cutting tables, needles, blades, foam/fabric installation, and other applications. In addition this product meets USDA requirements for use in federally inspected meat and poultry plants. This silicone meets 21 CFR 175.300 for Resinous and Polymeric Coatings intended for use in producing, manufacturing, packing, processing, preparing, treating, packaging, transporting, or holding food. Applicable areas include those such as ice machines, knives, cutting tables and blades. The silicone is colorless, odorless, heat stable, and nonstaining. This next generation, hexane-free and low VOC formula contains no ozone depleters, carcinogens, or chlorinated solvents. In addition, the fan spray pattern reduces overspray and waste. Multipurpose, Multiuse. Colorless, Nonstaining Silicone. Precise Fan Spray Control. Contains No Ozone Depleters. Nonchlorinated, Noncarcinogenic. Hexane Free, Low VOC Formula. 16 ounce can. |

| <u>CONTACT & CIRCUIT BOARD CLEANER V</u> | |
|---|--|
| 883 | This fast drying, nonflammable, residue free reformulation has a dielectric strength of over 12 KV and is safe for use on most plastics. This formula provides all the safety and high performance expected from this type product, without any ozone depletion potential (no ODP). Cleans oil, grease, dirt, condensation and moisture from circuit boards, precision instruments, oxygen equipment, controls, switches, motors and film. Do not use on styrenes or polystyrenes. 16 ounce can. |

| <u>MARBLE & GRANITE CLEANER</u> | |
|--|--|
| 884 | Biodegradable, easy-to-use spray foam cleaner and conditioner that removes grease, food residue and fingerprints. Restores brilliance to polished and sealed marble, granite, limestone and travertine. Dries streak-free and has a clean fresh fragrance. 20 ounce can. |

DELTA PRODUCTS

57

JANITORIAL SUPPLIES

| Code | Description | Description | Code |
|------|--|---|------|
| 902 | 7-10 Gallon Trash Can Liners (1000) | 12-16 Gallon Hi-Density Trash Can Liners (1000) | 926 |
| 903 | 12-16 Gallon Trash Can Liners (1000) | 20-30 Gallon Hi-Density Trash Can Liners (500) | 927 |
| 904 | 20-30 Gallon Trash Can Liners (250) | 31-33 Gallon High Density Trash Can Liners (250) | 928 |
| 905 | 31-33 Gallon Trash Can Liners (250) | 40 Gallon High Density Trash Can Liners (250) | 929 |
| 907 | 40 Gallon Trash Can Liners (100) | 55-60 Gallon High Density Trash Can Liners (200) | 930 |
| 908 | 55 Gallon Trash Can Liners (100) | 60 Gallon Heavy Duty Trash Can Liners 3 Mil (100) | 931 |
| 925 | 7-10 Gallon Hi-Density Trash Can Liners (1000) | 45 Gallon Heavy Duty Trash Can Liners 3 Mil (100) | 932 |

| | | | |
|-----|--|---|------|
| 933 | EVC - Everware paper Towels / 1000 case | 12" Jumbo Toilet Tissue / 2-ply / 2000' / 6 case | 961 |
| 934 | EVC - Everware paper Towels / 50 pack | 12" Toilet Tissue Dispenser | 962 |
| 935 | 25 lb. New Cotton Rags / Unbound | 9" Jumbo Jr. Toilet Tissue / 1-ply / 12 case | 963 |
| 936 | Super Prep Towel / 300' Roll / Blue | 9" Jumbo Jr. Toilet Tissue / 2-ply / 12 case | 964 |
| 937 | Atlas Wipes / Blue / 600 case | 9" Jumbo Jr. Toilet Tissue Dispenser / Single | 965 |
| 938 | Atlas Wipes / Blue / 150 box | 9" Jumbo Jr. Toilet Tissue Dispenser / Double | 966 |
| 939 | Nu-Cloth Shop Towels / White / 250 box | Toilet Seat Covers / 5000 | 967 |
| 944 | Kleenex Facial Tissue / 2-ply / 100 sheets / 36 case | Plastic Toilet Seat Cover Dispensers / 2 per box | 968 |
| 945 | Facial Tissue / 2-ply / 100 sheets / 30 case | Disposable Urinal Floor Mat | 969 |
| 946 | Kitchen Paper Towels / 30 case | Disposable Toilet Floor Mat | 970 |
| 947 | Bounty Paper Towels / 30 case | Oil Only Absorbing Pads / Heavy Weight / 100 box | 971 |
| 948 | Toilet Tissue / 1-ply / 1000 sheets / 96 case | | |
| 949 | Toilet Tissue / 2-ply / 500 sheets / 96 case | Universal Absorbing Pads / Heavy Weight / 100 box | 973 |
| 950 | Charmin Toilet Tissue / 2-ply / 40 case | Stretch Wrap / 18" x 1500' x 80 gauge / No Handle | 976 |
| 951 | 8" Hard Wound Roll Towel / Brown / 350' / 12 case | Stretch Wrap / 20" x 1000' x 80 gauge / With Handle | 977 |
| 952 | 8" Hard Wound Roll Towel / White / 350' / 12 case | Stretch Wrap / 5" x 1000' x 80 gauge / With Handle | 978 |
| 953 | 8" Crank Dispenser / White Enamel | 2" Packing Tape / Clear / 110 Yards / 1.7 mil | 979 |
| 954 | C-Fold Towels / White / 2400 case | 3" Packing Tape / Clear / 110 Yards / 1.7 mil | 980 |
| 955 | Multi-Fold Towels / White / 4000 case | Blue Urinal Block | 1003 |
| 956 | Multi-Fold Towels / Brown / 4000 case | In-Tank Drop-In Block / Blue / 1200 Cleansing Flushes | 1004 |
| 957 | Multi-Fold / C-Fold Towel Dispenser / White Enamel | Delta Urinal Screen w/ Blue Enzyme Block | 1005 |
| 958 | 9" Center-Pull Towels / 2-ply / 6 case | Smooth Waterless Hand Soap / 4.5 lb. | 1006 |
| 959 | 9" Center-Pull Dispenser | Waterless Hand Soap w/Pumice / 4.5 lb. | 1007 |
| 960 | 12" Jumbo Toilet Tissue / 1-ply / 4000' / 6 case | Waterless Hand Soap (18 Ounce Can) | 1008 |

DELTA PRODUCTS

58

JANITORIAL SUPPLIES

| Code | Description | Description | Code |
|------|---|--|------|
| 1009 | Carpet Fresh / 32 ounce can | Red / Wax Base Sweeping Compound / 50 lb. | 1065 |
| 1010 | Powdered Hand Soap (5 lb. Box) | Green / Oil Base Sweeping Compound / 50 lb. | 1066 |
| 1011 | Sweeping Compound - Green (100 lbs.) | Large Angular Sweep Broom / Plastic Bristles | 1067 |
| 1012 | Oil Dry (50 lbs.) | Small Lobby Dust Pan Broom | 1068 |
| 1013 | Maid Straw Broom (Sweep Type) | Plastic Lobby Dust Pan | 1069 |
| 1014 | Janitors Straw Broom (Sweep Type) | 20" Floor Pads (White - Polishing) / 5 case | 1070 |
| 1015 | 18" Street Broom w/Handle (Push Type) | 20" Floor Pads (Red - Buffing) / 5 case | 1071 |
| 1016 | 24" Street Broom w/Handle & Brace (Push Type) | 20" Floor Pads (Black - Stripping) / 5 case | 1072 |
| 1017 | 18" Soft Broom w/Handle (Push Type) | 20" Floor Pads (Green - Scrubbing) / 5 case | 1073 |
| 1018 | 24" Soft Broom w/Handle & Brace (Push Type) | Mop Bucket & Wringer Combo / Yellow Plastic | 1079 |
| 1019 | 12 Ounce Mop Head (Cotton) | 16 Ounce Blended Looped Mop Head | 1080 |
| 1020 | 16 Ounce Mop Head (Cotton) | 24 Ounce Blended Looped Mop Head | 1081 |
| 1021 | 20 Ounce Mop Head (Cotton) | 32 Ounce Blended Looped Mop Head | 1082 |
| 1022 | 24 Ounce Mop Head (Cotton) | 5" x 36" Washable Dustmop Cover | 1083 |
| 1023 | 32 Ounce Mop Head (Cotton) | 5"x36" Dust Mop Complete (Cover, Frame & Handle) | 1084 |
| 1024 | 12 Ounce Mop Head (Rayon) | Water Flakes Bowl Cleaner Packets / 400 Pail | 1085 |
| 1025 | 16 Ounce Mop Head (Rayon) | Water Flakes Bowl Cleaner Packets / 180 Box | 1086 |
| 1026 | 20 Ounce Mop Head (Rayon) | | |
| 1027 | 24 Ounce Mop Head (Rayon) | Sludgebuster Air Conditioner Tablets / 200 Bottle | 1088 |
| 1028 | 32 Ounce Mop Head (Rayon) | Corded Ear Plugs / 100 Box | 1089 |
| 1029 | 12-16 Ounce Mop Handle | Non- Corded Ear Plugs / 200 Box | 1090 |
| 1030 | 20-24-32 Ounce Mop Handle | Hand Cleaner Smooth (5 Ounce Tube) | 1101 |
| | | | |
| | | | |
| | | Toilet Rim Cage w/Blue Enzyme Deodorant Stick | 1104 |
| 1034 | Scrubs in-a-Bucket Hand Cleaner Towels (72 Count) | Flat Bubble Gum Scented Urinal Screen w/Delta Logo | 1105 |
| 1036 | Granular Dumpster Deodorant (16 lb. Pail) | Blue Micro-Fiber Cleaning/Dusting Cloth (Dozen) | 1106 |
| 1039 | Snow & Ice Melter Calcium Chloride (50 lbs.) | Lemon Hand Cleaner w/Pumice (18 Ounce Can) | 1108 |
| 1041 | Fast Orange Pumice Hand Cleaner (Gallon w/Pump) | | |
| 1042 | Fast Orange Smooth Hand Cleaner (Gallon w/Pump) | | |
| 1043 | Fast Orange Pumice Hand Cleaner (3 Ounce Tube) | | |

DELTA PRODUCTS

TUBE GREASE

| Code | Description / Directions |
|-------------|--|
| | <u>SUPER IMPACT GREASE</u> |
| 1107 | <p>This product is a multi purpose grease fortified with special additives enabling it to withstand the heavy impact and pounding pressures common to heavy equipment. Our special additive package allows the grease to stay in place and not to spatter or pound out of the bearing or fitting. Most greases manufactured today do not have this anti spatter capability. This product contains extreme pressure additives to provide long life under heavy loads, up to 65,000 PSI. This grease will withstand temperatures up to 500° F. It has superior water resistance and resists most acids, salt spray, steam, dirt, dust and weather. We have also blended extra rust, corrosion and oxidation inhibitors into this product. You now have a grease that not only resists high temperatures and heavy loads, but also provides extra protection of equipment with its superior anti spatter capabilities. A true long lasting product that can replace many commercially available greases. 14 ounce tube.</p> |

| | |
|-------------|--|
| | <u>WHITE GUARD SUPREME</u> |
| 1109 | <p>WHITE GUARD SUPREME with PTFE is a specialty high temperature polymer grease engineered specifically for the food processing and packaging industry. It is authorized by USDA for use in federally inspected meat and poultry plants. It is compounded with EP and antiwear additives as well as rust and oxidation inhibitors. It possesses good adhesion/cohesion properties and is water insoluble and very resistant to water washout. This premium grease has a neutral petroleum odor and is non staining. WHITE GUARD SUPREME is non toxic, non staining, odorless, and contains anti-wear additives. Product may be reapplied as required to maintain degree of lubricity needed, but care should be taken not to over lubricate surfaces in order to remain in compliance with Federal regulations regarding the use of lubricants. 14 ounce tube.</p> |

| | |
|-------------|---|
| | <u>RED GREASE</u> |
| 1110 | <p>This product is an all purpose non-melt grease especially formulated with extreme pressure and anti-wear additives to provide heavy duty service. It is one of very few greases able to withstand heavy shock load and impact pressures. This product has excellent adhesive and cohesive properties. It resists most acids, weather, dirt, salts spray, steam and oxidation. Our product protects equipment indoors or outdoors even under high temperatures and heavy loads. 65 lb. timken OK load. 14 ounce tube.</p> |

| | |
|-------------|---|
| | <u>ULTRA HIGH TEMP SYNTHETIC BLEND GREASE</u> |
| 1111 | <p>ULTRA HIGH TEMP SYNTHETIC BLEND GREASE is a metallic silver combination of an olefinic copolymer anti seize compound and a non soap bentone grease. It is fortified with additives that will provide it with excellent lubricating properties, stability and anti wear protection to metal surfaces. ULTRA HIGH TEMP is made from mid continent high viscosity solvent refined oil, an olefinic copolymer and is fortified with molybdenum disulfide (in sub micron), and aluminum. 14 ounce tube.</p> |

DELTA PRODUCTS

TUBE GREASE / WIPES

| Code | Description / Directions |
|------|---|
| | <u>MOLY GREASE</u> |
| 1112 | <p>Our MOLY GREASE is a non melt gray colored lubricant containing molybdenum disulfide. This product is fortified to provide anti wear and low friction performance through a wide temperature range. The molybdenum disulfide contained in MOLY GREASE reduces friction and protects against excessive wear, from extreme loads, galling and seizing. The moly "plates out" on metal surfaces, imparting extra protection to the parts and extending the lubrication cycle. MOLY GREASE is exceptionally resistant to most acids, salt spray, steam, dirt, dust, water, oxidation and weather. Our product has excellent adhesive and cohesive properties, as well as high shock protection. MOLY GREASE protects equipment indoors or outdoors, even under high temperatures and heavy loads. 14 ounce tube.</p> |

| | |
|------|--|
| | <u>LITHIUM COMPLEX E.P.GREASE</u> |
| 1113 | <p>This product is a multipurpose Lithium Complex Extreme Pressure grease that is recommended for most applications requiring a multipurpose lithium grease. It is recommended for anti-friction bearings, wheel bearings and many other applications. This product is fortified with corrosion inhibitors, rust inhibitors, antiwear agents and extreme pressure additives. Plus, it protects against water wash out. This product meets a 60 lb. Timken OK Load Test for added protection. Blue in color. 14 ounce tube.</p> |

| | |
|------|--|
| | <u>BELIEVE-IT CARPET SPOT WIPES</u> |
| 1114 | <p>Now you can get the strength of the original BELIEVE IT Stain Remover & Deodorizer in a convenient ready to use wipe.</p> <p>QUICKLY REMOVES NINE OUT OF TEN STAINS FROM COLORFAST CARPET AND UPHOLSTERY INCLUDING STAINS FROM PROTEIN, SUGAR AND EVEN BETADINE®.</p> <p>Test carpeting and particularly upholstery for colorfastness before use by applying in an out of sight spot. Not recommended for water sensitive surfaces such as suede, satin, silk, Haitian cotton, etc.</p> |

| | |
|------|---|
| | <u>PROTECTANT WIPES</u> |
| 1115 | <p>Restores surfaces and repels dust. The perfect product for preserving and restoring the original shine to all of your vehicle's surfaces. Premoistened with a water-based silicone formula specially developed to clean vehicle surfaces, as well as protect them from drying, cracking, fading, dulling and deteriorating. Formulated with a special anti-static ingredient to help resist dust and repel it from collecting on surfaces. Easy and effective to use on autos, trucks, vinyl, leather, metal, rubber, seats, weather stripping, tires, door and window seals, boats, wood, side molding, rubber bumpers, and dashboards. Do not use on glass. 40 wipes per canister.</p> |

DELTA PRODUCTS

WIPES

| Code | Description / Directions |
|------|---|
| | <u>HAND SANITIZING WIPES</u> |
| 1117 | <p>Kills harmful germs and bacteria in seconds. Developed to immediately eliminate harmful microorganisms from skin. Premoistened with a powerful sanitizing formula, a single wipe kills 99.9% of disease-causing microbes. Plus, the special formula prevents cross-contamination and moisturizes skin with aloe vera while leaving a fresh wintergreen fragrance. Use anywhere including medical offices, day care centers, health clubs, restaurants, nursing homes, correctional facilities, schools and hotels. Special formula cleans and sanitizes. Use and dispose of wipe to prevent cross-contamination. Convenient and easy to use. Recommended for repeated use. FDA regulated product. 70 wipes per canister.</p> |

| | |
|------|--|
| | <u>GRAFFITI WIPES</u> |
| 1118 | <p>Removes paint & graffiti in one easy step. Used for fast, easy clean-up of paint from non-porous surfaces. These amazing wipes are premoistened with an incredible cleaning formula that removes paints (including enamel), ink and even permanent marker. A few swipes with a single wipe quickly dissolves away unwanted paint and graffiti. Does not contain amyl acetate or methylene chloride, unlike other graffiti removers, making these towels less hazardous for users as well as surfaces. Use them on various surfaces including bathroom partitions, aluminum siding, desks, phone booths, road signs, wall tile, lamp posts, stainless steel, trains, bus stops and seats, billboards and lockers. Non-toxic when compared with other paint and graffiti removers. Environmentally safe and biodegradable formula. Abrasive yet non-scratching fabric aids in cleaning. Towels stay moist for greater usage and longer shelf life. 40 wipes per canister.</p> |

| | |
|------|--|
| | <u>CARPET SPOT REMOVER WIPES</u> |
| 1119 | <p>Removes stains from carpet and upholstery. Premoistened with a combination of powerful cleaning agents and live, waste-digesting bacteria to remove tough stains from carpet and upholstery. Within seconds, cleaning agents immediately separate soils from fibers while the bacteria digest any organic matter that may be present. Odors are suppressed with a pleasant fragrance, which is especially helpful in eliminating foul stains caused by pets, vomit, mold, mildew and spoiled food. Effective against wine, grease, salsa, make-up, juice, oil, coffee, blood, ink, ketchup, gravy and pet stains. Pleasant grapefruit fragrance. 40 wipes per canister.</p> |

| | |
|------|---|
| | <u>STREAKLESS STAINLESS STEEL WIPES</u> |
| 1120 | <p>Shine and protect surfaces in one step. When stainless steel becomes smudged with fingerprints, heavy grease and residue - these wipes quickly remove heavy soils and restore brilliant shine. Premoistened with a powerful citrus-based solution that effectively removes grime, yet won't harm stainless steel. As they remove dirt, they leave behind a clear, protective coating which shines surfaces and preserves them from unsightly water marks and harmful corrosion. They are perfect to use on any stainless steel surface including diner grills, elevator surfaces, beverage dispensers, counters, coffee machines and restrooms. Effective against grease, grime, smudges and fingerprints. Cleans, polishes and brightens stainless steel surfaces. No harsh chemicals, leaves a pleasant citrus fragrance. 40 wipes per canister.</p> |

| | |
|------|---|
| | <u>CRYSTAL CLEAR GLASS WIPES</u> |
| 1121 | <p>Clean glass and make it shine in seconds. Takes the extra equipment and hassle out of cleaning glass. Premoistened with a powerful ammonia-free formula these wipes quickly remove dust, dirt, oil and grease smudges, water spots, fingerprints and smoke film from glass surfaces and leaves them with a sparkling shine. Best of all, they won't leave behind streaks or a sticky film to cloud your visibility. They are so quick and effective, they are perfect to use on windows, glass, dry erase boards, mirrors, display cases, light fixtures, windshields, computer screens, glass tables, shower doors and tinted glass. Non-flammable formula premoistened on a lint-free towel. Pleasant grapefruit fragrance. 70 wipes per canister.</p> |

DELTA PRODUCTS

WIPES

| Code | Description / Directions |
|------|---|
| | <u>WOOD CLEANER & POLISH WIPES</u> |
| 1122 | <p>Cleaning and polish wipes that truly are one-step. These wipes combine all of the cleaning, dusting and protecting power of furniture polish with the ease and convenience of a one-step wipe. You can clean smudge marks, remove dust and dirt, and condition furniture surfaces against everyday wear while leaving them with a natural, ultra-protective shine. Best of all, they will not leave behind an oily residue or a wax buildup. While other polishing products leave surfaces so oily that they require you to "buff" them again with a dry towel to remove the residue, these wipes literally require only one step. Safe to use on all types of finished wood surfaces including tables, cabinets, formica, chairs, paneling, chrome, wall units, vinyl, brass, entertainment units, leather, stainless steel, finished hardwood, marble and trim. Powerful cleaning formula premoistened on lint-free towels. Pleasant lemon fragrance. 25 wipes per canister.</p> |
| | <u>GRIMESOLVER STAIN & MARK ERASER</u> |
| 1123 | <p>This is an innovative cleaning product powered by the microscopic abrasive qualities of genuine melamine resin-based foam. When combined with water, the unique properties of gentle abrasion and conformability "erase" away stains and marks often untouched by many chemical products. This breakthrough approach to cleaning is environmentally sensitive and ideal for use in the most restrictive of regulatory concerns as it requires no traditional cleaning chemicals or VOCs. The addition of the blue durability strip provides dimensional stability to harness both the power and the longevity of each individual eraser. The eraser quickly removes crayon, marker, ink, lipstick, tea & coffee stains, soap scum, scuff marks, fingerprints, hard water spots, red wine stains, nicotine film, rust spots, pencil, carbon residue, burn marks and more from walls, floors, doors, vanities, sinks, faucets, appliances, and other surfaces such as glass, vinyl, leather, plastic, brass, chrome and copper, just about any surface you can find.</p> |
| | <u>NO GRIPE HAND WIPES</u> |
| 1124 | <p>Designed for use in industrial and manufacturing settings, each towel is premoistened with a high-powered versatile cleaning formula capable of cleaning hard-working hands, as well as non-porous surfaces. Each towel is made from an abrasive, yet non-scratching fabric that helps lift away heavy deposits of grime and dirt off hands and surfaces. They also leave behind a fresh citrus scent and are enhanced with natural oils and emollients making them safe for hands and skin. 70 per canister.</p> |
| | <u>SURFACE SANITIZING WIPES</u> |
| 1126 | <p>No rinse sanitizer for food and non-food contact surfaces. This product is a non-woven, disposable wipe, pre-saturated with a versatile broad-spectrum sanitizer that has multiple uses on a wide variety of surfaces. This product was tested in accordance with AOAC methods and meets EPA requirements for sanitizing previously cleaned, food-contact surfaces. Kills 99.9% of bacteria in just 30 seconds. Kills 99.999% of bacteria that can cause food borne illness on hard, non-porous surfaces in just 1 minute. 100 wipes per canister.</p> |

DELTA PRODUCTS

WIPES

| Code | Description / Directions |
|------|--|
| | <u>ELECTRO WIPES</u> |
| 1127 | Wiping down electronic equipment with these wipes protects them from electricity and prevents dust accumulation. |
| | Pre-moistened with a special formula that neutralizes the effects of static electricity, these wipes prevent the loss of important data stored on computer equipment, as well as damage to other devices including monitors and television screens. 30 wipes per canister. |

| | |
|------|---|
| | <u>ALCOHOL-FREE HAND SANITIZING WIPES</u> |
| 1128 | Antibacterial yet gentle to skin. These wipes kill 99.99% of bacteria without the use of alcohol. Sanitizes with BZK |
| | (Benzalkonium Chloride). Ideal for schools, hospitals, municipal buildings, and other areas where sanitizing is needed and alcohol is not desired. Non-tacky formula moisturizes with Aloe and Vitamin E to leave hands feeling clean and fresh. 70 wipes per canister. |

| | |
|------|--|
| | <u>TOILET SEAT WIPES</u> |
| 1130 | Make every public rest room toilet clean & fresh. With these wipes, you can be assured of a clean, healthy and useable toilet every time. Each wipe is premoistened with a potent formula that cleans on contact and evaporates within seconds. |
| | Biodegradable and completely flushable, they won't cause plumbing problems. They come in 160-wipe canisters that fit into a dispenser that can be mounted anywhere. Use on toilet seats, bathroom fixtures, door handles and other hard surfaces. DO NOT use as toilet tissue or for personal cleansing. |

| | |
|------|--|
| | <u>FACILITY WIPES</u> |
| 1131 | All-surface cleaning wipes. These wipes are designed to clean and deodorize any surface, anywhere. They are excellent for quick and easy cleaning of equipment, furniture and facilities in athletic and health clubs, schools, retail stores, restaurants and other institutional settings. Use a 9" center-pull dispenser to dispense. 800 wipes per roll. |

| | |
|------|---|
| | <u>FLYAWAY WIPES</u> |
| 1132 | Water-based insect repellent formula. Fly Away Wipes provide up to 4 hours of protection from irritating insects. These convenient, easy to use wipes allow for quick and thorough application to skin, hair, and clothing to ensure maximum protection. Effective against black, stable and sand flies, fleas, mosquitoes, chiggers, gnats and ticks. 40 wipes per canister. |

| | |
|------|---|
| | <u>DISINFECTING WIPES</u> |
| 1137 | High quality disinfecting wipe. Gentle water based formula safe for plastic, laminates, metals, plexiglass screens and rubber. |
| | Tough enough to kill tuberculosis, bacteria, viruses and staph. Lint free and highly absorbent for better cleaning. Independently lab certified to quickly disinfect. This Product is EPA registered, and registered in all 50 states for use on equipment. Use a 9" center-pull dispenser to dispense. 800 wipes per roll. |

| Code | Description / Directions |
|------|--|
| | <u>DELTA LINT ROLLER</u> |
| 1145 | <ul style="list-style-type: none"> • Picks up lint, dust, and hair from a variety of surfaces. |
| | <ul style="list-style-type: none"> • Long handle eliminates bending • Handle extends up to 61"; fast and efficient for picking up lint, dust and hair • 60 sheets per roll; 6.25" wide sheets |

| Code | Description / Directions |
|------|--|
| | <u>DELTA LINT ROLLER REFILLS</u> |
| 1146 | Refill roll with 60 sheets per roll; 6.25" wide sheets |
| | 3 per pack |